



INTEGRATED
Environmental Services, Inc.

September 22, 1997

Rodney Nelson
Program Manager

James E. Ross
Unit Chief, Site Cleanup Unit

California Regional Water Quality Control Board
Los Angeles Region
101 Center Plaza Drive
Monterey Park, CA 91754-2156

**Subject: Application for Facility Permit/Waste Discharge
Boeing Realty Corporation C-6 Facility**

Dear Gentlemen:

On behalf of the Boeing Realty Corporation, Integrated Environmental Services, Inc. is pleased to submit the attached Facility Permit/Waste Discharge application package for your review and approval. The package includes a fully executed Form 200 application sheet, permit fee of \$400.00, and supporting documentation to allow the Bradley Landfill in Sun Valley, California, to use the C-6 facility's excavated soils for daily cover.

I visited the Bradley Landfill on September 18, two days after our meeting at your office. The attached health-based allowable soil concentrations (Attachment 1 of the Supplemental Documentation) were developed based on conservative construction-worker exposures at the Bradley Landfill. As shown in the waste profile sheets (Attachment 2), and the calculated allowable soil concentrations, the C-6 excavated soils can be used as daily cover and would not pose any adverse impact to the workers.

If you have any questions, or need more information, please contact me directly. Your expedited approval is appreciated.

Sincerely,

Michael Y. Young, Ph.D.
President

Enclosures: 3

CC: Karen Baker (DTSC-LB)
Dr. Debra Odiz (DTSC-Sac)
S. Mario Stavale (Boeing)



Cal/EPA

**Los Angeles
Regional Water
Quality Control
Board**

101 Centre Plaza Drive
Monterey Park, CA
91754-2156
(213) 266-7500
FAX (213) 266-7600



Pete Wilson
Governor

September 24, 1997

Mr. Michael Y. Young, Ph.D.
President
Integrated Environmental Services, Inc.
3990 westerly Place, Suite 210
Newport Beach, CA 92660

**WASTE DISCHARGE REQUIREMENTS FOR DISCHARGE OF HYDROCARBON
CONTAMINATED SOIL - BOEING REALTY CORPORATION C-6 FACILITY -
(File No. 88-57-086(97))**

On September 23, 1997, you filed with this Board a report of waste discharge to discharge up to 5,000 cubic yards of hydrocarbon contaminated soil in a Class III Landfill in this Region. This material could be used as daily cover at Bradley Landfill. Approval of soil used for daily cover is contingent upon concurrence by the Integrated Waste Management Board and any Local Enforcement Agency.


We have reviewed the information provided and have determined that the proposed discharge of this material meets the conditions specified in Order No. 91-93, "General Waste Discharge Requirements for Discharge of Non-Hazardous Contaminated Soils and Other Wastes in Los Angeles River and Santa Clara River Basins", adopted by this Board on July 22, 1991.

Enclosed are Waste Discharge Requirements, comprising:

1. General Waste Discharge Requirements
2. Monitoring and Reporting Program

Please note that the Monitoring and Reporting Program requires that a report be submitted to this Board within 10 days of the completion of disposal operations, ATTN: Data and Information Management Unit. The report shall reference the above file number.

If you have any questions, please contact Don Peterson at (213) 266-7578.


DENNIS A. DICKERSON
Executive Officer

Enclosures
cc: CIWMB
Los Angeles City Department of Environmental Affairs



Our mission is to preserve and enhance the quality of California's water resources, and ensure their proper allocation and efficient use for the benefit of present and future generations.

BOE-C6-0025332

General Waste Discharge Requirements
Discharge of Non-Hazardous Contaminated Soils

File No. 88-57

B. Monitoring reports shall be signed by:

1. In case of corporation, by a principal executive officer at least of the level of vice-president or his duly authorized representative, if such representative is responsible for the overall operation of discharge;
2. In the case of a partnership, by a general partner;
3. In case of a sole proprietorship, by the proprietor;
4. In the case of a municipal, state or other public facility, by either a principal executive officer, ranking elected official, or other duly authorized employee.

C. The report shall contain the following completed declaration:

"I declare under penalty of perjury that the foregoing is true and correct.

Executed on the ___ day of _____ at _____

(Signature)

(Title)"

D. The discharger shall mail a copy of the monitoring report to the following:

California Regional Water Quality Control Board
Los Angeles Region
101 Centre Plaza Drive
Monterey Park, CA 91754-2156
Attn: Data and Information Management Unit

Ordered by: _____

Dennis A. Dickerson
DENNIS A. DICKERSON
Executive Officer

Date: September 24, 1997

T-2



State of California
CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD, LOS ANGELES REGION

ORDER NO. 91-93

GENERAL WASTE DISCHARGE REQUIREMENTS
FOR
DISCHARGE OF NON-HAZARDOUS CONTAMINATED SOILS AND OTHER WASTES
IN LOS ANGELES RIVER AND SANTA CLARA RIVER BASINS
(File No. 88-57)

The California Regional Water Quality Control Board, Los Angeles Region finds:

1. The California Water Code requires that any person discharging wastes or proposing to discharge waste which could affect the quality of the waters of the state shall file a Report of Waste Discharge with the Regional Board. The Regional Board then shall prescribe requirements as to the nature of the proposed or existing discharge.
2. Soils contaminated with moderate concentrations of petroleum hydrocarbons, heavy metals and other special wastes are considered to be wastes whose discharge could affect the quality of the waters of the State.
3. Land disposal of these wastes to properly engineered and managed Class III Waste Management Units (Landfills) is proving to be an efficient and economical means of mitigating the effects of such contaminated waste. The threat to waters of the State is thereby eliminated or reduced to non-significant levels.
4. Each month this Board receives a large number of requests for the disposal of soils contaminated with hydrocarbons and other waste. For each such request, staff has to determine the concentration of the significant contaminants/pollutants in the waste, the regulatory limits, if any, for the contaminants/pollutants, and the potential impact on the waters of the State from the disposal of the waste. Such requests are anticipated to continue and far exceed the capacity of staff to review and bring to the Board for consideration of individual waste discharge requirements in a timely manner. These circumstances create the need for an expedited system for processing the numerous requests for disposal of these moderately contaminated wastes.

June 12, 1991

General Waste Discharge Requirements
Discharge of Non-Hazardous Contaminated Soils

File No. 88-57

5. The adoption of general waste discharge requirements for the disposal of these non-hazardous contaminated soils and other similar wastes would: a) simplify the application process for dischargers, b) allow more efficient use of Regional Board staff time; and c) reduce Regional Board time by enabling the Executive Officer to notify the discharger of the applicability of the General Waste Discharge Requirements.
6. These general waste discharge requirements for the disposal of non-hazardous contaminated soils and other similar waste up to 100,000 cubic yards for durations not to exceed 90 days under direction of the Executive Officer would benefit the public, staff, and the Board by accelerating the review process without loss of regulatory jurisdiction and oversight.
7. The Board adopted revised Water Quality Control Plans for the Santa Clara River and Los Angeles River Basins on October 22, 1990 and June 3, 1991, respectively. These Water Quality Control Plans contain water quality objectives for ground water for all Hydrologic Subareas within the Region. The requirements contained in this Order, as they are met, will be in conformance with the goals of the Water Quality Control Plans.
8. Beneficial uses of ground water in the Los Angeles Region include municipal and domestic supply, agricultural supply, industrial process supply, and ground water recharge. Beneficial uses for individual Hydrologic Subareas are specified in the Water Quality Control Plans.
9. The Class III Landfill disposal is a one time, short term disposal, and is not anticipated to require in excess of 90 days to complete at which time these requirements will expire.
10. The issuance of Waste Discharge Requirements for the discharges subject to these general requirements is exempt from the provisions of Chapter 3, (commencing with Section 21100) of Division 13, of the Public Resources Code pursuant to one or more of the following provisions:

General Waste Discharge Requirements
Discharge of Non-Hazardous Contaminated Soils

File No. 88-57

(a) The lead agency has prepared an Environmental Impact Report or a negative declaration based on findings pursuant to California Code of Regulations, Title 14, Chapter 3, Section 15070 which show that there will be no significant impact on water quality; or

(b) The project would affect a minor alteration to the condition of land, and is exempt in accordance with Title 14, Chapter 3, Section 15304, California Code of Regulations.

11. These general waste discharge requirements are not intended to alter or supersede any existing restrictions or working arrangements relating to cleanup cases with local governmental agencies.

The Board has notified interested agencies and persons of its intent to adopt general waste discharge requirements for disposal of hydrocarbon contaminated soils and other similar wastes and has provides them with an opportunity to submit their written views and recommendations.

The Board in a public meeting heard and considered all comments pertaining to the tentative requirements.

IT IS HEREBY ORDERED THAT:

A. APPLICABILITY

1. This Order shall serve as General Waste Discharge Requirements for the discharge of non-hazardous contaminated soil and other similar wastes to properly engineered and managed Waste Management Units.
2. Upon receipt of a Report Waste Discharge describing such discharge, the Executive Officer shall determine if such discharge, a) involves 100,000 cubic yards or less of hydrocarbon contaminated soil and/or other similar waste, b) involves contaminated soils and/or other similar wastes at acceptable levels as determined by the Executive Officer, but total petroleum hydrocarbons (TPH) shall not exceed an average concentration of 1,000 mg/kg, c) will be completed within 90 days, and d) is covered by adequate soil characterization of the nature and extent of the soil contamination, and e) the threat to ground water from such soil and/or other waste discharge is reduced to non-significant levels.

General Waste Discharge Requirements
Discharge of Non-Hazardous Contaminated Soils

File No. 88-57

In the event the Executive Officer so finds, he shall notify the applicant (hereinafter called the Discharger) in writing that the proposed discharge is subject to this Order.

3. Notwithstanding the above provisions, individual cases may be brought to the Board for adoption of waste discharge requirements when deemed appropriate by the Executive Officer.

B. WASTE DISCHARGE REQUIREMENTS

1. No condition of pollution or nuisance shall be caused by the handling of the wastes or from any excavation operation conducted in association with this waste disposal operation.
2. Odors from the handling of these wastes shall not be perceivable beyond the limits of the property owned or controlled by the discharger.
3. All required state and local permits and/or variances shall be obtained by the discharger prior to commencing the disposal operations.
4. The discharge and disposal of waste shall be in conformance with Title 23, Division 3, Chapter 15, California Code of Regulations "Discharge of Waste to Land".
5. Wastes discharged shall be limited to material obtained from one site only; no other wastes shall be imported and/or commingled with those wastes.
6. Wastes may be discharged at a classified Waste Management Unit in the Los Angeles Region, provided the analyses are representative of the entire volume of material and with the concurrence of the site operator.
7. Waste discharged or reclaimed for reuse as soil backfill shall not contain any substance in concentrations toxic to human, animal, plant, or aquatic life.

General Waste Discharge Requirements
Discharge of Non-Hazardous Contaminated Soils

File No. 88-57

8. The discharge of wastes shall be to a legal point of disposal or to a site approved by the Executive Officer and in accordance with the provisions of Division 7.5 of the Water Code. For the purposes of these requirements, a legal disposal site is one for which requirements have been established by a California Regional Water Quality Control Board and which is in compliance therewith.

C. PROVISIONS

1. A copy of these requirements shall be maintained by the discharger at the proposed site and be available at all times to operating personnel.
2. In the event the discharger is unable to comply with any of the conditions of this Order due to:
 - (a) Breakdown of waste disposal equipment,
 - (b) Accidents caused by human error or negligence,
 - (c) Other causes such as acts of nature,
 - (d) Facility operations

The discharger must notify this Board by telephone within 24 hours of the incident and confirm it in writing within one week of the telephone notification.

3. In accordance with Section 13260 of the California Water Code, the discharger shall file a report of material change with this Regional Board of any material change in the character, location or volume of the discharge.
4. The Discharger shall allow the Regional Board or an authorized representative upon the presentation of credentials and other documents as may be required by law, to:
 - (a) Enter upon premises where a regulated facility or activity is located or conducted, or where records are kept under the conditions of this Order;

General Waste Discharge Requirements
Discharge of Non-Hazardous Contaminated Soils

File No. 88-57

- (b) Have access to, and copy at reasonable times, any records that are kept under the conditions of this Order;
 - (c) Inspect, at reasonable times, any facility, equipment (including monitoring and control equipment), practices, or operations regulated or required under this Order; and
 - (d) To photograph, sample, or monitor, at reasonable times, for the purpose of assuring compliance with this Order, or as otherwise authorized by the California Water Code.
5. In accordance with Section 13263 of the Water Code, these waste discharge requirements are subject to periodic review and revision by this Regional Board.
6. These requirements do not exempt the discharger from compliance with any other laws, regulations, or ordinances which may be applicable, they do not legalize this soil disposal or similar waste and they leave unaffected any further restraints on those facilities which may be contained in other status or contained by other regulatory agencies.

D. EXPIRATION

These Waste Discharge Requirements regulating a specific short term soil or similar waste discharge expire 90 days after the Executive Officer has determined this Order is applicable to the specific project.

I, Robert P. Ghirelli, Executive Officer, do hereby certify that the foregoing is a full, true and correct copy of an Order adopted by the California Regional Water Quality Control Board, Los Angeles Region on July 22, 1991.



ROBERT P. GHIRELLI, D.Env.
Executive Officer



APPLICATION FOR
 FACILITY PERMIT/WASTE DISCHARGE

This form is to be used for filing a/an: (check all appropriate)

- 1. REPORT OF WASTE DISCHARGE
 (pursuant to Division 7 of the State Water Code)
- 2. APPLICATION FOR A HAZARDOUS WASTE FACILITY PERMIT
 (pursuant to Health and Safety Code Section 25200)
- 3. APPLICATION FOR A SOLID WASTE FACILITIES PERMIT
 (pursuant to Government Code Section 66796.30)
- 4. APPLICATION FOR A RUBBISH DUMP PERMIT
 (pursuant to Public Resources Code Sections 4371-4375 and 4438)

FOR OFFICE USE ONLY	
Form 200 Rec'd	_____
Fee (RWOCB)	_____ (SWMB) _____
Letter to Discharger	_____
Report Rec'd	_____
Effective Date	_____
CDF Notified	_____
DOHS No.	_____
SWMB No.	_____

I. FACILITY

A. NAME OF FACILITY	Boeing Realty Corporation C-6 Facility	TELEPHONE #	()
ADDRESS	19503 S. Normandie Ave., Los Angeles, California 90502	ZIP CODE	

B. NAME OF LEGAL OWNER OF FACILITY	Boeing Realty Corporation	TELEPHONE #	(562) 627-3014
ADDRESS	4060 Lakewood Blvd., 6th Floor, Long Beach, California 90808	ZIP CODE	

C. NAME OF BUSINESS OPERATING FACILITY	Same as above	TELEPHONE #	()
ADDRESS		ZIP CODE	

D. TYPE OF BUSINESS OPERATING FACILITY

Sole Proprietorship
 Partnership
 Corporation
 Government Agency

E. NAME OF OWNER(S) OF BUSINESS OPERATING FACILITY	Boeing Realty Corporation	TELEPHONE #	(562) 627-3014
ADDRESS WHERE LEGAL NOTICE MAY BE SERVED	4060 Lakewood Blvd., 6th Floor, Long Beach, California 90808	ZIP CODE	

II. REASON FOR FILING

CHECK ALL APPROPRIATE:

- A. New discharge or facility
- B. Existing discharge or facility
- C. Increase in quantity of discharge
- D. Change in character of discharge
- E. Change in place or method of disposal
- F. Change in design or operation
- G. Change in business operating facility
- H. Enlargement of existing facility
- I. Other (explain below)

III. TYPE OF OPERATION

CHECK ALL APPROPRIATE:

- A. Transfer station
- B. Solid waste disposal site
- C. Hazardous waste disposal site
- D. Sewage treatment
- E. Industry (on-site disposal facility)
- F. Industry (discharge to sewer)
- G. Woodwaste site
- H. Other (explain below)

IV. TYPE OF WASTE

CHECK ALL APPROPRIATE:

- A. Sewage, sewage sludge, and/or septic tank pumpings
- B. Industrial wastes
- C. Municipal solid wastes
- D. Hazardous wastes
- E. Agricultural wastes
- F. Animal wastes
- G. Forest product wastes
- H. Construction/demolition wastes
- I. Inert materials
- J. Dead animals
- K. Tires
- L. Other (explain below)

V. SITE DESIGN CAPACITY

A. PRESENT POPULATION OR CAPACITY	B. DESIGN POPULATION OR ULTIMATE CAPACITY	C. LIFE EXPECTANCY (YEARS)

VI. QUANTITY OF WASTES

A. PRESENT OR PROPOSED DAILY FLOW (IN MGD):	MAXIMUM	AVERAGE	B. DESIGN FLOW (IN MGD)	
C. SOLID WASTE DISPOSAL SITE (IN TONS OR CUBIC YARDS):	DAILY QUANTITY	TOTAL IN PLACE QUANTITY	D. AREA IN WHICH SOIL WILL BE DISTURBED (IN ACRES)	TOTAL SITE AREA
		5,000 cu yds		

VII. LOCATION OF POINT OF DISPOSAL OR OPERATION

(DESIGN AND ATTACH MAP, SKETCH, OR LOCATION ON U.S.G.S. QUADRANGLE MAP, 7.5 OR 15 MINUTE SERIES.)

LIST DISTANCES OR BEARING AND DISTANCE FROM SECTION CORNER OR QUARTER CORNER, SECTION, TOWNSHIP, RANGE, BASE AND MERIDIAN:

Permit to use 5,000 cu yds of excavated soil as daily cover at Bradley Landfill,
Sun Valley, California.

Soil to be transported by truck to Bradley Landfill.

VIII. SOURCE OF WATER SUPPLY (CHECK ALL APPROPRIATE)

A. <input type="checkbox"/> MUNICIPAL OR UTILITY SERVICE: <small>NAME OF WATER PURVEYOR</small> <hr/> <small>ADDRESS OF PURVEYOR</small> <hr/>	B. <input type="checkbox"/> INDIVIDUAL (Wells) <hr/> C. <input type="checkbox"/> SURFACE SUPPLY: <small>NAME OF STREAM, LAKE, SPRING, ETC. (IF NAMED)</small> <hr/> <table style="width:100%; border: none;"> <tr> <td style="border: none;"><small>TYPE OF WATER RIGHTS</small></td> <td style="border: none;"><small>WATER RIGHTS PERMIT OR LICENSE #</small></td> </tr> <tr> <td style="border: none;"><input type="checkbox"/> Riparian <input type="checkbox"/> Appropriation</td> <td style="border: none;"></td> </tr> </table>	<small>TYPE OF WATER RIGHTS</small>	<small>WATER RIGHTS PERMIT OR LICENSE #</small>	<input type="checkbox"/> Riparian <input type="checkbox"/> Appropriation	
<small>TYPE OF WATER RIGHTS</small>	<small>WATER RIGHTS PERMIT OR LICENSE #</small>				
<input type="checkbox"/> Riparian <input type="checkbox"/> Appropriation					


IX. ENVIRONMENTAL IMPACT REPORT (EIR)

Has an EIR been prepared for this project? Yes No
 If "Yes", please enclose a copy.
 If "No", will an EIR be prepared? Yes No
 Will a negative declaration be prepared? Yes No
 If "Yes", please answer the following:

<small>WHO WILL PREPARE THE NEGATIVE DECLARATION?</small>	<small>APPROX. DATE OF COMPLETION</small>

CERTIFICATION

I hereby certify under penalty of perjury that the information provided in this application and in any attachments is true and accurate to the best of my knowledge.

<small>SIGNATURE OF OWNER OF FACILITY</small> 	<small>SIGNATURE OF OPERATOR OF FACILITY</small> 
<small>PRINTED OR TYPED NAME</small> S. Mario Stavale	<small>PRINTED OR TYPED NAME</small> S. Mario Stavale
<small>TITLE</small> Project Manager	<small>TITLE</small> Project Manager
<small>DATE</small>	<small>DATE</small>

LIST TITLES OF ANY ATTACHMENTS:

Analytical data summaries for 20 stockpiles (each 250 cu yds) totaling 5,000 cubic yards.

You will be notified of the correctness of filing fee and submittal of any additional information deemed necessary to complete your Report of Waste Discharge pursuant to Division 7, Section 13250 of the State Water Code, or to complete your permit application pursuant to Government Code Section 66796.30 and Health and Safety Code Section 26200.



GENERATOR'S WASTE PROFILE SHEET

PLEASE PRINT IN INK OR TYPE

Service Agreement on File? YES NO

Profile Number: WMI 507762
Renewal Date: / /

A. Waste Generator Information

- 1. Generator Name: Boeing Realty Corporation
- 2. SIC Code: _____
- 3. Facility Street Address: 19503 South Normandie Ave.
- 4. Phone: (562) 627-3014
- 5. Facility City: Los Angeles
- 6. State/Province: _____
- 7. Zip/Postal Code: 90502
- 8. Generator USEPA/Federal ID #: CAD08651000513985
- 9. County: Los Angeles
- 10. State/Province ID #: _____
- 11. Customer Name: Boeing Realty Corporation
- 12. Customer Phone: (562) 627-3014
- 13. Customer Contact: S. Mario Stavale
- 14. Customer Fax: 562-627-3109

B. Waste Stream Information

- 1. Name of Waste: Excavated soil
- 2. State Waste Code: non-hazardous
- 3. Process Generating Waste: Non-hazardous soil to be used as daily cover at Bradley Landfill at Sun Valley, California.
- 4. Estimated Annual Volume: 50,000 Tons Yards Other (specify) _____
- 5. Personal Protective Equipment Requirements: None
- 6. Transporter/Transfer Station: _____
- 7. Is this a U.S. Department of Transportation (USDOT) Hazardous Material? (If no, skip 8, 9, & 10)..... YES NO
- 8. Reportable Quantity (lbs., kgs.): None
- 9. Hazard Class/ID #: None
- 10. USDOT Shipping Name: _____
 Check if additional information is attached. Indicate the number of attached pages:


C. Generator's Certification (Please check appropriate responses, sign, and date below.)

- 1. Is the waste represented by this waste profile sheet a "Hazardous Waste," as defined by USEPA, Canadian, Mexican and/or state/province regulation, in the location where generated or ultimately managed?..... YES NO
- 2. Does the waste represented by this waste profile sheet contain regulated radioactive material or regulated concentrations of Polychlorinated Biphenyls (PCBs)?..... YES NO
- 3. Does this waste profile sheet and all attachments contain true and accurate descriptions of the waste material?..... YES NO
- 4. Has all relevant information within the possession of the Generator regarding known or suspected hazards pertaining to the waste been disclosed to the Contractor?..... YES NO
- 5. Is the analytical data attached hereto derived from testing a representative sample in accordance with 40 CFR 261.20 (c) or equivalent rules?..... NA YES NO
- 6. Will all changes that occur in the character of the waste be identified by the Generator and disclosed to the Contractor prior to providing the waste to the Contractor?..... YES NO

Certification Signature: *S. Mario Stavale* Title: Project Manager
 Name (Type or Print): S. Mario Stavale Company Name: Boeing Realty Corp. Date: 9-22-97

D. WMI Management's Decision FOR WMI USE ONLY

- 1. Management Method: Landfill Solidify Bioremediation Other (Specify) _____
 - 2. Proposed Ultimate Management Facility: _____
 - 3. Hours of acceptance: _____ NA
 - 4. Supplemental Information: _____
 - 5. Precautions, Special Handling Procedures, or Limitations on Approval: _____
- Special Waste Decision..... Approved Disapproved
 Salesperson's Signature: _____ Date: _____
 Division Approval Signature (Optional): _____ Date: _____
 Special Waste Approvals Person Signature: _____ Date: _____



INTEGRATED
Environmental Services, Inc.

Application for **Facility Permit / Waste Discharge**

Supplemental Documentation

Boeing Realty Corporation
C-6 Facility
Los Angeles, California
September 1997





Application for
Facility Permit / Waste Discharge

Supplemental Documentation

Boeing Realty Corporation
C-6 Facility

Los Angeles
California

September 1997

Prepared by
Integrated Environmental Services, Inc.

For
The Boeing Realty Corporation

Application for
Facility Permit / Waste Discharge
Supplemental Documentation
Boeing Realty Corporation
C-6 Facility

Attachment 1

Health-Based Allowable Soil Concentrations Based on
Conservative Construction Worker Exposures
At Bradley Landfill

Table 1
Health-Based Soil Concentrations (mg/kg),
Based on Construction Worker Exposures

Constituent	HBRG HQ=0.2 (mg/kg)	HBRG ILCR=10 ⁻⁶ (mg/kg)	Initial HBRG (mg/kg)
1-butanol	4.71E+05	NA	4.71E+05
1,1-dichloroethane	2.20E+05	1.62E+05	1.62E+05
1,1-dichloroethene	1.94E+03	1.46E+03	1.46E+03
1,1,1,2-tetrachloroethane	6.79E+03	3.71E+04	6.79E+03
1,1,2-trichloroethane	9.00E+03	1.33E+04	9.00E+03
1,1,2,2-tetrachloroethane	NA	3.57E+03	3.57E+03
1,2-dibromo-3-chloropropane	2.50E+03	1.38E+02	1.38E+02
1,2-dibromoethane	7.38E+03	2.69E+02	2.69E+02
1,2-dichlorobenzene	NA	NA	NT
1,2-dichloroethane	NA	1.35E+04	1.35E+04
1,2-dichloropropane	3.53E+03	1.24E+04	3.53E+03
1,2-diphenylhydrazine	NA	1.11E+03	1.11E+03
1,2,3-trichloropropane	1.36E+04	1.38E+02	1.38E+02
1,2,4-trichlorobenzene	2.28E+03	NA	2.28E+03
1,3-dichloropropene	6.76E+02	5.36E+03	6.76E+02
1,4-dichlorobenzene	5.71E+07	2.42E+04	2.42E+04
2-butanone	4.52E+05	NA	4.52E+05
2-chlorophenol	1.14E+04	NA	1.14E+04
2-methylphenol	1.14E+05	NA	1.14E+05
2-naphthylamine	NA	5.39E+02	5.39E+02
2,4-dichlorophenol	6.83E+02	NA	6.83E+02
2,4-dimethylphenol	4.55E+04	NA	4.55E+04
2,4-dinitrophenol	4.56E+02	NA	4.56E+02
2,4-dinitrotoluene	4.55E+02	3.13E+03	4.55E+02
2,4,5-trichlorophenol	2.28E+05	NA	2.28E+05
2,4,6-trichlorophenol	NA	1.39E+04	1.39E+04
2,6-dinitrotoluene	2.28E+03	1.43E+03	1.43E+03
3,3-dichlorobenzidine	NA	8.08E+02	8.08E+02
4-chloroaniline	9.10E+02	NA	9.10E+02
4-methyl-2-pentanone	1.79E+05	NA	1.79E+05
4-methylphenol	1.14E+03	NA	1.14E+03

Table 1 (Cont.)

Constituent	HBRG HQ=0.2 (mg/kg)	HBRG ILCR=10 ⁻⁶ (mg/kg)	Initial HBRG (mg/kg)
4,4-ddd	NA	5.66E+03	5.66E+03
4,4-dde	NA	4.00E+03	4.00E+03
4,4-ddt	1.60E+02	4.00E+03	1.60E+02
acenaphthene	1.06E+05	NA	1.06E+05
acetone	2.24E+05	NA	2.24E+05
acrolein	NA	NA	NT
acrylonitrile	2.25E+03	9.57E+02	9.57E+02
aldrin	9.57E+00	7.99E+01	9.57E+00
alpha-bhc	NA	2.16E+02	2.16E+02
aniline	3.85E+05	1.70E+05	1.70E+05
anthracene	5.31E+04	NA	5.31E+04
antimony	1.18E+02	NA	1.18E+02
aroclor 1016	NA	NA	NT
aroclor 1254	1.14E+01	NA	1.14E+01
arsenic	1.16E+02	1.10E+03	1.16E+02
barium	3.30E+04	NA	3.30E+04
benzene	NA	9.42E+03	9.42E+03
benzidine	6.83E+02	1.94E+00	1.94E+00
benzoic acid	9.11E+05	NA	9.11E+05
benzo(a)anthracene	NA	6.28E+02	6.28E+02
benzo(a)pyrene	NA	6.28E+01	6.28E+01
benzo(b)fluoranthene	NA	6.28E+02	6.28E+02
benzo(k)fluoranthene	NA	6.28E+02	6.28E+02
benzyl alcohol	2.28E+05	NA	2.28E+05
benzyl chloride	NA	5.68E+03	5.68E+03
beryllium	2.04E+02	2.48E+08	2.04E+02
beta-bhc	NA	7.55E+02	7.55E+02
beta-chloronaphthalene	NA	NA	NT
bis(2-chloro-1-methylethyl)ether	NA	1.38E+04	1.38E+04
bis(2-chloroethyl)ether	NA	3.87E+02	3.87E+02
bis(2-ethylhexyl)phthalate	NA	1.15E+05	1.15E+05
bromodichloromethane	4.53E+03	7.42E+03	4.53E+03
bromoform	4.53E+03	1.22E+05	4.53E+03
bromomethane	NA	NA	NT

Table 1 (Cont.)

Constituent	HBRG HQ=0.2 (mg/kg)	HBRG ILCR=10 ⁻⁶ (mg/kg)	Initial HBRG (mg/kg)
cadmium	2.15E+02	1.39E+08	2.15E+02
carbazole	NA	4.85E+04	4.85E+04
carbon disulfide	2.22E+04	NA	2.22E+04
carbon tetrachloride	NA	6.30E+03	6.30E+03
chlordane	1.37E+01	8.08E+02	1.37E+01
chlorobenzene	NA	NA	NT
chloroform	2.35E+03	3.26E+04	2.35E+03
chloromethane	NA	6.76E+04	6.76E+04
chromium iii	4.21E+05	NA	4.21E+05
chromium vi	1.06E+04	5.39E+03	5.39E+03
chrysene	NA	6.28E+03	6.28E+03
cis-1,2-dichloroethene	2.20E+04	NA	2.20E+04
copper	1.64E+04	NA	1.64E+04
cumene	8.24E+04	NA	8.24E+04
cyanide	9.14E+03	NA	9.14E+03
dibenzo(a,h)anthracene	NA	1.84E+02	1.84E+02
dibromochloromethane	4.41E+04	1.00E+04	1.00E+04
dichlorodifluoromethane	1.14E+05	NA	1.14E+05
dieldrin	1.60E+01	8.49E+01	1.60E+01
diethyl phthalate	1.82E+06	NA	1.82E+06
di-n-butylphthalate	2.28E+05	NA	2.28E+05
di-n-octylphthalate	4.55E+03	NA	4.55E+03
endosulfan	1.91E+03	NA	1.91E+03
endrin	9.58E+01	NA	9.58E+01
ethyl chloride	1.49E+07	NA	1.49E+07
ethylbenzene	NA	NA	NT
fluoranthene	9.11E+04	NA	9.11E+04
fluorene	9.11E+04	NA	9.11E+04
gamma-bhc	9.90E+02	1.28E+03	9.90E+02
heptachlor	1.06E+02	1.59E+02	1.06E+02
heptachlor epoxide	4.14E+00	1.04E+02	4.14E+00
hexachlorobenzene	NA	5.38E+02	5.38E+02
hexachlorobutadiene	NA	1.24E+04	1.24E+04
hexachlorocyclopentadiene	6.15E+03	NA	6.15E+03

Table 1 (Cont.)

Constituent	HBRG HQ=0.2 (mg/kg)	HBRG ILCR=10 ⁻⁶ (mg/kg)	Initial HBRG (mg/kg)
hexachloroethane	2.27E+03	2.48E+04	2.27E+03
indeno(1,2,3-cd)pyrene	NA	8.08E+02	8.08E+02
isobutyl alcohol	6.76E+05	NA	6.76E+05
isophorone	4.55E+05	1.02E+06	4.55E+05
mercury	8.86E+01	NA	8.86E+01
methoxychlor	1.14E+03	NA	1.14E+03
methyl methacrylate	1.75E+04	NA	1.75E+04
methylene bromide	2.23E+04	NA	2.23E+04
methylene chloride	1.44E+04	7.24E+04	1.44E+04
methyl-tert-butyl ether	NA	NA	NT
molybdenum	1.62E+04	NA	1.62E+04
n-butylbenzyl phthalate	4.55E+04	NA	4.55E+04
nickel	3.12E+03	2.29E+09	3.12E+03
nitroaniline, o-	8.43E+05	NA	8.43E+05
nitrobenzene	1.14E+03	NA	1.14E+03
nitrosodiphenylamine, p-	NA	4.41E+04	4.41E+04
n-nitrosodimethylamine	NA	4.31E+01	4.31E+01
n-nitroso-di-n-propylamine	NA	1.38E+02	1.38E+02
n-nitrosodiphenylamine	NA	1.08E+05	1.08E+05
o-chlorotoluene	4.49E+04	NA	4.49E+04
p-chloro-m-cresol	4.55E+05	NA	4.55E+05
pentachlorophenol	3.98E+03	3.14E+04	3.98E+03
phenol	1.37E+05	NA	1.37E+05
pyrene	3.07E+04	NA	3.07E+04
selenium	2.37E+03	NA	2.37E+03
silver	1.69E+03	NA	1.69E+03
styrene	3.16E+07	NA	3.16E+07
tetrachloroethene	2.26E+04	1.89E+04	1.89E+04
toluene	4.72E+05	NA	4.72E+05
toxaphene	NA	8.08E+02	8.08E+02
trans-1,2-dichloroethene	4.39E+04	NA	4.39E+04
trichloroethene	NA	6.63E+04	6.63E+04
trichlorofluoromethane	1.56E+05	NA	1.56E+05
vanadium	1.09E+03	NA	1.09E+03

Table 1 (Cont.)

Constituent	HBRG HQ=0.2 (mg/kg)	HBRG ILCR=10 ⁻⁶ (mg/kg)	Initial HBRG (mg/kg)
vinyl acetate	1.78E+05	NA	1.78E+05
vinyl chloride	NA	1.46E+03	1.46E+03
xylene	4.52E+05	NA	4.52E+05
zinc	1.14E+05	NA	1.14E+05

Note:

NA - Not Applicable

NT - No Toxicity Data for Compound

Table A
Summary of Unit Risk Characterization
Construction Worker
Via Incidental Ingestion of Soils

$$CS \times EF \times ED \times CF \times IR = BW \times AT$$

IRs	Ingestion rate of soil (RAGS, 1989)	480 mg/day
CF	Conversion factor	1.0E-06 kg/mg
EF	Exposure frequency	20 d/year
EDn	Exposure duration for non-carcinogens	0.082 year
EDc	Exposure duration for carcinogens	0.082 year
BW	Body weight	70 kg
ATc	Average time for carcinogens (lifetime)	25550 day
ATn	Average time for non-carcinogens (EDn x 365)	30 day
CS	Concentration of chemicals in soil	(see table below)

Chemical Concentrations

Compound	Concentration	Compound	Concentration
1-butanol	1.0E+00	2-butanone	1.0E+00
1,1-dichloroethane	1.0E+00	2-chlorophenol	1.0E+00
1,1-dichloroethene	1.0E+00	2-methylphenol	1.0E+00
1,1,1,2-tetrachloroethane	1.0E+00	2-naphthylamine	1.0E+00
1,1,2-trichloroethane	1.0E+00	2,4-dichlorophenol	1.0E+00
1,1,2,2-tetrachloroethane	1.0E+00	2,4-dimethylphenol	1.0E+00
1,2-dibromo-3-chloropropane	1.0E+00	2,4-dinitrophenol	1.0E+00
1,2-dibromoethane	1.0E+00	2,4-dinitrotoluene	1.0E+00
1,2-dichlorobenzene	1.0E+00	2,4,5-trichlorophenol	1.0E+00
1,2-dichloroethane	1.0E+00	2,4,6-trichlorophenol	1.0E+00
1,2-dichloropropane	1.0E+00	2,6-dinitrotoluene	1.0E+00
1,2-diphenylhydrazine	1.0E+00	3,3-dichlorobenzidine	1.0E+00
1,2,3-trichloropropane	1.0E+00	4-chloroaniline	1.0E+00
1,2,4-trichlorobenzene	1.0E+00	4-methyl-2-pentanone	1.0E+00
1,3-dichloropropane	1.0E+00		
1,4-dichlorobenzene	1.0E+00		

Table A (cont.)
Summary of Unit Risk Characterization
Construction Worker
Via Incidental Ingestion of Soils

Compound	Non-Carcinogenic Calculation			Carcinogenic Calculation		
	CDI (mg/kg-d)	RfD (mg/kg-d)	UH (unitless)	CDI (mg/kg-d)	CSF (mg/kg-d) ⁻¹	UR (unitless)
1-butanol	3.75E-07	1.00E+00	3.75E-07	4.40E-10	NA	NA
1,1-dichloroethane	3.75E-07	1.00E+00	3.75E-07	4.40E-10	5.70E-03	2.51E-12
1,1,1,2-tetrachloroethane	3.75E-07	9.00E-03	4.17E-05	4.40E-10	6.00E-01	2.64E-10
1,1,1,2-trichloroethane	3.75E-07	3.00E-02	1.25E-05	4.40E-10	2.60E-02	1.14E-11
1,1,2-trichloroethane	3.75E-07	4.00E-02	9.37E-06	4.40E-10	7.20E-02	3.17E-11
1,1,2,2-tetrachloroethane	3.75E-07	NA	NA	4.40E-10	2.70E-01	1.19E-10
1,2-dibromo-3-chloropropane	3.75E-07	NA	NA	4.40E-10	7.00E+00	3.08E-09
1,2-dibromoethane	3.75E-07	NA	NA	4.40E-10	3.60E+00	1.58E-09
1,2-dichlorobenzene	3.75E-07	NA	NA	4.40E-10	NA	NA
1,2-dichloroethane	3.75E-07	NA	NA	4.40E-10	7.00E-02	3.08E-11
1,2-dichloropropane	3.75E-07	NA	NA	4.40E-10	6.30E-02	2.77E-11
1,2-diphenylhydrazine	3.75E-07	NA	NA	4.40E-10	8.70E-01	3.83E-10
1,2,3-trichloropropane	3.75E-07	6.00E-02	6.25E-06	4.40E-10	7.00E+00	3.08E-09
1,2,4-trichlorobenzene	3.75E-07	1.00E-02	3.75E-05	4.40E-10	NA	NA
1,3-dichloropropene	3.75E-07	3.00E-03	1.25E-04	4.40E-10	1.80E-01	7.92E-11
1,4-dichlorobenzene	3.75E-07	NA	NA	4.40E-10	4.00E-02	1.76E-11
2-butanone	3.75E-07	2.00E+00	1.87E-07	4.40E-10	NA	NA
2-chlorophenol	3.75E-07	5.00E-02	7.50E-06	4.40E-10	NA	NA
2-methylphenol	3.75E-07	5.00E-01	7.50E-07	4.40E-10	NA	NA
2-naphthylamine	3.75E-07	NA	NA	4.40E-10	1.80E+00	7.92E-10
2,4-dichlorophenol	3.75E-07	3.00E-03	1.25E-04	4.40E-10	NA	NA
2,4-dimethylphenol	3.75E-07	2.00E-01	1.87E-06	4.40E-10	NA	NA
2,4-dinitrophenol	3.75E-07	2.00E-03	1.87E-04	4.40E-10	NA	NA
2,4-dinitrotoluene	3.75E-07	2.00E-03	1.87E-04	4.40E-10	3.10E-01	1.36E-10
2,4,5-trichlorophenol	3.75E-07	1.00E+00	3.75E-07	4.40E-10	NA	NA
2,4,6-trichlorophenol	3.75E-07	NA	NA	4.40E-10	7.00E-02	3.08E-11
2,6-dinitrotoluene	3.75E-07	1.00E-02	3.75E-05	4.40E-10	6.80E-01	2.99E-10
3,3-dichlorobenzidine	3.75E-07	NA	NA	4.40E-10	1.20E+00	5.28E-10
4-chloroaniline	3.75E-07	4.00E-03	9.37E-05	4.40E-10	NA	NA
4-methyl-2-pentanone	3.75E-07	8.00E-01	4.69E-07	4.40E-10	NA	NA

Table B
Summary of Unit Risk Characterization
Construction Worker
Via Dermal Contact with Soils

Intake Equation = CS X CF X EF X ED X AF X ABS X SA
 BW X AT

SA	Surface area of exposed skin (50th percentile, hands only)	5800	cm ² /day
AF	Adherence Factor	1	mg/cm ²
ABS	Absorption factor (see table below)	csv	
CF	Conversion factor	1.0E-06	kg/mg
EF	Exposure frequency	20	d/year
EDn	Exposure duration for non-carcinogens	0	year
EDc	Exposure duration for carcinogens	0	year
BW	Body weight	70	kg
ATc	Average time for carcinogens (lifetime)	25550	day
ATn	Average time for non-carcinogens (EDn x 365)	30	day
CS	Concentration of chemicals in soil (see table below)	csv	

Chemical Concentrations

Compound	ABS (unitless)	Concentration (mg/kg)	Compound	ABS (unitless)	Concentration (mg/kg)
1-butanol	NA	1.00E+00	2-butanone	1.00E-01	1.00E+00
1,1-dichloroethane	1.00E-01	1.00E+00	2-chlorophenol	1.00E-01	1.00E+00
1,1-dichloroethene	1.00E-01	1.00E+00	2-methylphenol	1.00E-01	1.00E+00
1,1,1,2-tetrachloroethane	1.00E-01	1.00E+00	2-naphthylamine	1.00E-01	1.00E+00
1,1,2-trichloroethane	1.00E-01	1.00E+00	2,4-dichlorophenol	1.00E-01	1.00E+00
1,1,2,2-tetrachloroethane	1.00E-01	1.00E+00	2,4-dimethylphenol	1.00E-01	1.00E+00
1,2-dibromo-3-chloropropane	1.00E-01	1.00E+00	2,4-dinitrophenol	1.00E-01	1.00E+00
1,2-dichlorobenzene	1.00E-01	1.00E+00	2,4-dinitrotoluene	1.00E-01	1.00E+00
1,2-dichloroethane	1.00E-01	1.00E+00	2,4,5-trichlorophenol	1.00E-01	1.00E+00
1,2-dichloropropane	1.00E-01	1.00E+00	2,4,6-trichlorophenol	1.00E-01	1.00E+00
1,2-diphenylhydrazine	1.00E-01	1.00E+00	2,6-dinitrotoluene	1.00E-01	1.00E+00
1,2,3-trichloropropane	1.00E-01	1.00E+00	3,3-dichlorobenzidine	1.00E-01	1.00E+00
1,2,4-trichlorobenzene	1.00E-01	1.00E+00	4-chloroaniline	1.00E-01	1.00E+00
1,3-dichloropropane	1.00E-01	1.00E+00	4-methyl-2-pentanone	1.00E-01	1.00E+00
1,4-dichlorobenzene	1.00E-01	1.00E+00			

**Table B (cont.)
Summary of Unit Risk Characterization
Construction Worker
Via Dermal Contact with Soils**

Compound	Non-Carcinogenic Calculation			Carcinogenic Calculation		
	CDI (mg/kg-d)	RfD (mg/kg-d)	UH (unitless)	CDI (mg/kg-d)	CSF (mg/kg-d) ⁻¹	UR (unitless)
1-butanol	NA	9.00E-01	NA	NA	NA	NA
1,1-dichloroethane	4.53E-07	9.00E-01	5.03E-07	5.32E-10	6.33E-03	3.37E-12
1,1-dichloroethene	4.53E-07	8.10E-03	5.59E-05	5.32E-10	6.67E-01	3.53E-10
1,1,1,2-tetrachloroethane	4.53E-07	2.70E-02	1.68E-05	5.32E-10	2.89E-02	1.54E-11
1,1,2-trichloroethane	4.53E-07	3.60E-02	1.26E-05	5.32E-10	8.00E-02	4.25E-11
1,1,2,2-tetrachloroethane	4.53E-07	NA	NA	5.32E-10	3.00E-01	1.60E-10
1,2-dibromo-3-chloropropane	4.53E-07	NA	NA	5.32E-10	7.78E+00	4.14E-09
1,2-dibromoethane	4.53E-07	NA	NA	5.32E-10	4.00E+00	2.13E-09
1,2-dichlorobenzene	4.53E-07	NA	NA	5.32E-10	7.78E-02	4.14E-11
1,2-dichloropropane	4.53E-07	NA	NA	5.32E-10	7.00E-02	3.72E-11
1,2-diphenylhydrazine	4.53E-07	NA	NA	5.32E-10	9.67E-01	5.14E-10
1,2,3-trichloropropane	4.53E-07	5.40E-02	8.39E-06	5.32E-10	7.78E+00	4.14E-09
1,2,4-trichlorobenzene	4.53E-07	9.00E-03	5.03E-05	5.32E-10	NA	NA
1,3-dichloropropene	4.53E-07	2.70E-03	1.68E-04	5.32E-10	2.00E-01	1.06E-10
1,4-dichlorobenzene	4.53E-07	NA	NA	5.32E-10	4.44E-02	2.36E-11
2-butanone	4.53E-07	1.80E+00	2.52E-07	5.32E-10	NA	NA
2-chlorophenol	4.53E-07	4.50E-02	1.01E-05	5.32E-10	NA	NA
2-methylphenol	4.53E-07	4.50E-01	1.01E-06	5.32E-10	NA	NA
2-naphthylamine	4.53E-07	NA	NA	5.32E-10	2.00E+00	1.06E-09
2,4-dichlorophenol	4.53E-07	2.70E-03	1.68E-04	5.32E-10	NA	NA
2,4-dimethylphenol	4.53E-07	1.80E-01	2.52E-06	5.32E-10	NA	NA
2,4-dinitrophenol	4.53E-07	1.80E-03	2.52E-04	5.32E-10	NA	NA
2,4-dinitrotoluene	4.53E-07	1.80E-03	2.52E-04	5.32E-10	3.44E-01	1.83E-10
2,4,5-trichlorophenol	4.53E-07	9.00E-01	5.03E-07	5.32E-10	NA	NA
2,4,6-trichlorophenol	4.53E-07	NA	NA	5.32E-10	7.78E-02	4.14E-11
2,6-dinitrotoluene	4.53E-07	9.00E-03	5.03E-05	5.32E-10	7.56E-01	4.02E-10
3,3-dichlorobenzidine	4.53E-07	NA	NA	5.32E-10	1.33E+00	7.09E-10
4-chloroaniline	4.53E-07	3.60E-03	1.26E-04	5.32E-10	NA	NA
4-methyl-2-pentanone	4.53E-07	7.20E-01	6.29E-07	5.32E-10	NA	NA

Table C
Summary of Unit Risk Characterization
Construction Worker
Via Inhalation of Particulates and Volatiles

$$\text{Intake Equation} = \frac{CS \times (L/VF + 1/PEF) \times EF \times ED \times ET \times IR}{BW \times AT}$$

IR	Inhalation rate of gases (RAGS, 1989)	2.5E+00 m/h
EF	Exposure frequency	2.0E+01 days/year
EDn	Exposure duration for non-carcinogens	8.2E+02 year
EDc	Exposure duration for carcinogens	8.2E+02 year
BW	Body weight	7.0E+01 kg
ATc	Average time for carcinogens (lifetime)	2.6E+04 days
ATn	Average time for non-carcinogens (EDn x 365)	3.0E+01 days
ET	Exposure time	1.0E+00 h/d
CS	Concentration of chemicals in soil	(see table below)
VF	Volatilization Factor	(see table below)
PEF	Particulate Emission Factor	(see table below)

Chemical Concentrations

Compound	VF (m3/kg)	PEF (m3/kg)	Cs (mg/kg)	Compound	VF (m3/kg)	PEF (m3/kg)	Cs (mg/kg)
1-butanol	3.9E+04	4.8E+09	1.0E+00	2-butanone	2.0E+05	4.8E+09	1.0E+00
1,1-dichloroethane	4.5E+04	4.8E+09	1.0E+00	2-chlorophenol	1.1E+06	4.8E+09	1.0E+00
1,1-dichloroethene	4.1E+04	4.8E+09	1.0E+00	2-methylphenol	2.7E+06	4.8E+09	1.0E+00
1,1,1,2-tetrachloroethane	3.6E+05	4.8E+09	1.0E+00	2-naphthylamine	3.2E+07	4.8E+09	1.0E+00
1,1,2-trichloroethane	1.8E+05	4.8E+09	1.0E+00	2,4-dichlorophenol	6.0E+06	4.8E+09	1.0E+00
1,1,2,2-tetrachloroethane	3.8E+05	4.8E+09	1.0E+00	2,4-dimethylphenol	1.0E+07	4.8E+09	1.0E+00
1,2-dibromo-3-chloropropane	4.3E+05	4.8E+09	1.0E+00	2,4-dinitrophenol	1.3E+08	4.8E+09	1.0E+00
1,2-dibromoethane	1.3E+05	4.8E+09	1.0E+00	2,4-dinitrotoluene	2.9E+07	4.8E+09	1.0E+00
1,2-dichlorobenzene	4.7E+05	4.8E+09	1.0E+00	2,4,5-trichlorophenol	3.3E+06	4.8E+09	1.0E+00
1,2-dichloroethane	8.0E+04	4.8E+09	1.0E+00	2,4,6-trichlorophenol	1.6E+07	4.8E+09	1.0E+00
1,2-dichloropropane	9.3E+03	4.8E+09	1.0E+00	2,6-dinitrotoluene	1.0E+07	4.8E+09	1.0E+00
1,2-diphenylhydrazine	2.7E+08	4.8E+09	1.0E+00	3,3-dichlorobenzidine	5.6E+08	4.8E+09	1.0E+00
1,2,3-trichloropropane	3.2E+05	4.8E+09	1.0E+00	4-chloroaniline	2.8E+06	4.8E+09	1.0E+00
1,2,4-trichlorobenzene	2.0E+06	4.8E+09	1.0E+00	4-methyl-2-pentanone	3.8E+05	4.8E+09	1.0E+00
1,3-dichlorobenzene	1.1E+05	4.8E+09	1.0E+00				
1,4-dichlorobenzene	7.8E+05	4.8E+09	1.0E+00				

Table C (cont.)
Summary of Unit Risk Characterization
Construction Worker
Via Inhalation of Particulates and Volatiles

Compound	Non-Carcinogenic Calculation			Carcinogenic Calculation		
	CDI (mg/kg-d)	RfD (mg/kg-d)	UH (unitless)	CDI (mg/kg-d)	CSF (mg/kg-d) ⁻¹	UR (unitless)
1-butanol	5.0E-08	1.0E+00	5.0E-08	5.9E-11	NA	NA
1,1-dichloroethane	4.3E-08	1.4E+00	3.0E-08	5.0E-11	5.7E-03	2.9E-13
1,1-dichloroethene	4.8E-08	9.0E-03	5.3E-06	5.6E-11	1.2E+00	6.8E-11
1,1,1,2-tetrachloroethane	5.4E-09	3.0E-02	1.8E-07	6.4E-12	2.6E-02	1.7E-13
1,1,2-trichloroethane	1.1E-08	4.0E-02	2.8E-07	1.3E-11	7.2E-02	9.3E-13
1,1,2,2-tetrachloroethane	5.2E-09	NA	NA	6.1E-12	2.7E-01	1.7E-12
1,2-dibromo-3-chloropropane	4.6E-09	5.7E-05	8.0E-05	5.4E-12	7.0E+00	3.8E-11
1,2-dibromoethane	1.5E-08	5.7E-04	2.7E-05	1.8E-11	2.5E-01	4.5E-12
1,2-dichlorobenzene	4.1E-09	NA	NA	4.8E-12	NA	NA
1,2-dichloroethane	2.4E-08	NA	NA	2.9E-11	7.0E-02	2.0E-12
1,2-dichloropropane	2.1E-07	3.7E-03	5.7E-05	2.5E-10	6.3E-02	1.6E-11
1,2-diphenylhydrazine	7.7E-12	NA	NA	9.1E-15	8.7E-01	7.9E-15
1,2,3-trichloropropane	6.2E-09	6.0E-02	1.0E-07	7.3E-12	7.0E+00	5.1E-11
1,2,4-trichlorobenzene	9.7E-10	5.7E-01	1.7E-09	1.1E-12	NA	NA
1,3-dichloropropene	1.7E-08	5.7E-03	3.0E-06	2.0E-11	5.5E-02	1.1E-12
1,4-dichlorobenzene	2.5E-09	7.1E-01	3.5E-09	2.9E-12	4.0E-02	1.2E-13
2-butanone	9.8E-09	2.9E+00	3.4E-09	1.1E-11	NA	NA
2-chlorophenol	1.8E-09	5.0E-02	3.7E-08	2.1E-12	NA	NA
2-methylphenol	7.2E-10	5.0E-01	1.4E-09	8.4E-13	NA	NA
2-naphthylamine	6.1E-11	NA	NA	7.2E-14	1.8E+00	1.3E-13
2,4-dichlorophenol	3.3E-10	3.0E-03	1.1E-07	3.8E-13	NA	NA
2,4-dimethylphenol	1.9E-10	2.0E-01	9.5E-10	2.2E-13	NA	NA
2,4-dinitrophenol	1.5E-11	2.0E-03	7.6E-09	1.8E-14	NA	NA
2,4-dinitrotoluene	6.8E-11	2.0E-03	3.4E-08	8.0E-14	3.1E-01	2.5E-14
2,4,5-trichlorophenol	5.9E-10	1.0E+00	5.9E-10	7.0E-13	NA	NA
2,4,6-trichlorophenol	1.2E-10	NA	NA	1.4E-13	7.0E-02	9.8E-15
2,6-dinitrotoluene	1.9E-10	1.0E-02	1.9E-08	2.2E-13	6.8E-01	1.5E-13
3,3-dichlorobenzidine	3.9E-12	NA	NA	4.6E-15	1.2E+00	5.5E-15
4-chloroaniline	6.9E-10	4.0E-03	1.7E-07	8.1E-13	NA	NA
4-methyl-2-pentanone	5.1E-09	2.3E-01	2.2E-08	6.0E-12	NA	NA

Table D
Summary of Unit Risk Calculations
Construction Worker

Chemicals of Concern	Unit Hazard Quotient				Unit Incremental Lifetime Cancer Risk			
	Inhalation (unitless)	Dermal (unitless)	Soil Ingestion (unitless)	Total (unitless)	Inhalation (unitless)	Dermal (unitless)	Soil Ingestion (unitless)	Total (unitless)
1-butanol	4.98E-08	NA	3.75E-07	4.25E-07	NA	NA	NA	NA
1,1-dichloroethane	3.01E-08	5.03E-07	3.75E-07	9.08E-07	2.88E-13	3.37E-12	2.51E-12	6.16E-12
1,1-dichloroethene	5.34E-06	5.59E-05	4.17E-05	1.03E-04	6.77E-11	3.55E-10	2.64E-10	6.86E-10
1,1,1,2-tetrachloroethane	1.81E-07	1.68E-05	1.25E-05	2.95E-05	1.65E-13	1.54E-11	1.14E-11	2.70E-11
1,1,2-trichloroethane	2.75E-07	1.26E-05	9.37E-06	2.22E-05	9.30E-13	4.25E-11	3.17E-11	7.52E-11
1,1,2,2-tetrachloroethane	NA	NA	NA	NA	1.65E-12	1.60E-10	1.19E-10	2.80E-10
1,2-dibromo-3-chloropropane	8.01E-05	NA	NA	8.01E-05	3.76E-11	4.14E-09	3.08E-09	7.26E-09
1,2-dibromoethane	2.71E-05	NA	NA	2.71E-05	4.54E-12	2.13E-09	1.58E-09	3.72E-09
1,2-dichlorobenzene	NA	NA	NA	NA	NA	NA	NA	NA
1,2-dichloroethane	NA	NA	NA	NA	2.01E-12	4.14E-11	3.08E-11	7.42E-11
1,2-dichloropropane	5.67E-05	NA	NA	5.67E-05	1.56E-11	3.72E-11	2.77E-11	8.05E-11
1,2-diphenylhydrazine	NA	NA	NA	NA	7.87E-15	5.14E-10	3.83E-10	8.97E-10
1,2,3-trichloropropane	1.03E-07	8.39E-06	6.25E-06	1.47E-05	5.09E-11	4.14E-09	3.08E-09	7.27E-09
1,2,4-trichlorobenzene	1.70E-09	5.03E-05	3.75E-05	8.78E-05	NA	NA	NA	NA
1,3-dichloropropene	3.05E-06	1.68E-04	1.25E-04	2.96E-04	1.12E-12	1.06E-10	7.92E-11	1.87E-10
1,4-dichlorobenzene	3.50E-09	NA	NA	3.50E-09	1.18E-13	2.36E-11	1.76E-11	4.14E-11
2-butanone	3.42E-09	2.52E-07	1.87E-07	4.42E-07	NA	NA	NA	NA
2-chlorophenol	3.66E-08	1.01E-05	7.50E-06	1.76E-05	NA	NA	NA	NA
2-methylphenol	1.44E-09	1.01E-06	7.50E-07	1.76E-06	NA	NA	NA	NA
2-naphthylamine	NA	NA	NA	NA	1.30E-13	1.06E-09	7.92E-10	1.86E-09
2,4-dichlorophenol	1.08E-07	1.68E-04	1.25E-04	2.93E-04	NA	NA	NA	NA
2,4-dimethylphenol	9.48E-10	2.52E-06	1.87E-06	4.39E-06	NA	NA	NA	NA
2,4-dinitrophenol	7.60E-09	2.52E-04	1.87E-04	4.39E-04	NA	NA	NA	NA
2,4-dinitrotoluene	3.42E-08	2.52E-04	1.87E-04	4.39E-04	2.49E-14	1.83E-10	1.36E-10	3.20E-10
2,4,5-trichlorophenol	5.95E-10	5.03E-07	3.75E-07	8.79E-07	NA	NA	NA	NA
2,4,6-trichlorophenol	NA	NA	NA	NA	9.82E-15	4.14E-11	3.08E-11	7.22E-11
2,6-dinitrotoluene	1.89E-08	5.03E-05	3.75E-05	8.78E-05	1.51E-13	4.02E-10	2.99E-10	7.01E-10
3,3-dichlorobenzidine	NA	NA	NA	NA	5.48E-15	7.09E-10	5.28E-10	1.24E-09
4-chloroaniline	1.74E-07	1.26E-04	9.37E-05	2.20E-04	NA	NA	NA	NA
4-methyl-2-pentanone	2.24E-08	6.29E-07	4.69E-07	1.12E-06	NA	NA	NA	NA

Table E
Summary of Health-Based Soil Concentrations
Via Construction Worker Scenario

Chemicals of Concern	Hazard Quotient			Incremental Lifetime Cancer Risk		
	Total Unit HQ (unitless)	Soil (mg/kg) Scaled Soil Concentration HQ=0.2	Risk based Concentration HQ=0.2	Total Unit ILCR (unitless)	Soil (mg/kg) Scaled Soil Concentration ILCR=1E-06	Risk based Concentration ILCR=1E-06
1-butanol	4.25E-07	4.71E+05	4.71E+05	NA	NA	NA
1,1-dichloroethane	9.08E-04	2.20E+05	2.20E+05	6.16E-12	1.62E+05	1.62E+05
1,1-dichloroethene	1.03E-04	1.94E+03	1.94E+03	6.86E-10	1.46E+03	1.46E+03
1,1,1,2-tetrachloroethane	2.95E-05	6.79E+03	6.79E+03	2.70E-11	3.71E+04	3.71E+04
1,1,2-trichloroethane	2.22E-05	9.00E+03	9.00E+03	7.52E-11	1.33E+04	1.33E+04
1,1,2,2-tetrachloroethane	NA	NA	NA	2.80E-10	3.57E+03	3.57E+03
1,2-dibromo-3-chloropropane	8.01E-05	2.50E+03	2.50E+03	7.26E-09	1.38E+02	1.38E+02
1,2-dibromoethane	2.71E-05	7.38E+03	7.38E+03	3.72E-09	2.69E+02	2.69E+02
1,2-dichlorobenzene	NA	NA	NA	NA	NA	NA
1,2-dichloroethane	NA	NA	NA	7.42E-11	1.35E+04	1.35E+04
1,2-dichloropropane	5.67E-05	3.53E+03	3.53E+03	8.05E-11	1.24E+04	1.24E+04
1,2,3-trichloropropane	NA	NA	NA	8.97E-10	1.11E+03	1.11E+03
1,2,4-trichlorobenzene	1.47E-05	1.36E+04	1.36E+04	7.27E-09	1.38E+02	1.38E+02
1,3-dichloropropene	8.78E-05	2.28E+03	2.28E+03	NA	NA	NA
1,4-dichlorobenzene	2.96E-04	6.76E+02	6.76E+02	1.87E-10	5.36E+03	5.36E+03
2-butanone	3.50E-09	5.71E+07	5.71E+07	4.14E-11	2.42E+04	2.42E+04
2-chlorophenol	4.42E-07	4.52E+05	4.52E+05	NA	NA	NA
2-methylphenol	1.76E-05	1.14E+04	1.14E+04	NA	NA	NA
2-naphthylamine	1.76E-06	1.14E+05	1.14E+05	NA	NA	NA
2,4-dichlorophenol	2.93E-04	6.83E+02	6.83E+02	1.86E-09	5.39E+02	5.39E+02
2,4-dimethylphenol	4.39E-06	4.55E+04	4.55E+04	NA	NA	NA
2,4-dinitrophenol	4.39E-04	4.56E+02	4.56E+02	NA	NA	NA
2,4-dinitrotoluene	4.39E-04	4.55E+02	4.55E+02	3.20E-10	3.13E+03	3.13E+03
2,4,5-trichlorophenol	8.79E-07	2.28E+05	2.28E+05	NA	NA	NA
2,4,6-trichlorophenol	NA	NA	NA	7.22E-11	1.39E+04	1.39E+04
2,6-dinitrotoluene	8.78E-05	2.28E+03	2.28E+03	7.01E-10	1.43E+03	1.43E+03
3,3-dichlorobenzidine	2.20E-04	9.10E+02	9.10E+02	1.24E-09	8.08E+02	8.08E+02
4-chloroaniline	1.12E-06	1.79E+05	1.79E+05	NA	NA	NA
4-methyl-2-pentanone	NA	NA	NA	NA	NA	NA

Table A
 Summary of Unit Risk Characterization
 Construction Worker
 Via Incidental Ingestion of Soils

CS.X.EF.X.ED.X.CF.X.IR
 BW.X.AT

=

IRs Ingestion rate of soil (RAGS, 1989) 480 mg/day
 CF Conversion factor 1.0E-06 kg/mg
 EF Exposure frequency 20 d/year
 EDn Exposure duration for non-carcinogens 0.082 year
 EDc Exposure duration for carcinogens 0.082 year
 BW Body weight 70 kg
 ATc Average time for carcinogens (lifetime) 25550 day
 ATn Average time for non-carcinogens (EDn x 365) 30 day
 CS Concentration of chemicals in soil (see table below)

Chemical Concentrations

Compound	Concentration	Compound	Concentration
4-methylphenol	1.0E+00	barium	1.0E+00
4,4-ddd	1.0E+00	benzene	1.0E+00
4,4-dde	1.0E+00	benzidine	1.0E+00
4,4-ddt	1.0E+00	benzoic acid	1.0E+00
acemaphthene	1.0E+00	benzo(a)anthracene	1.0E+00
acetone	1.0E+00	benzo(a)pyrene	1.0E+00
acrolein	1.0E+00	benzo(b)fluoranthene	1.0E+00
acrylonitrile	1.0E+00	benzo(k)fluoranthene	1.0E+00
aldrin	1.0E+00	benzyl alcohol	1.0E+00
alpha-bhc	1.0E+00	benzyl chloride	1.0E+00
aniline	1.0E+00	beryllium	1.0E+00
anthracene	1.0E+00	beta-bhc	1.0E+00
antimony	1.0E+00	beta-chloronaphthalene	1.0E+00
aroclor 1016	1.0E+00	bis(2-chloro-1-methylcetyl)ether	1.0E+00
aroclor 1254	1.0E+00		
arsenic	1.0E+00		

Table A (cont.)
Summary of Unit Risk Characterization
Construction Worker
Via Incidental Ingestion of Soils

Compound	Non-Carcinogenic Calculation			Carcinogenic Calculation		
	CDI (mg/kg-d)	RfD (mg/kg-d)	UH (unitless)	CDI (mg/kg-d)	CSF (mg/kg-d) ⁻¹	UR (unitless)
4-methylphenol	3.75E-07	5.00E-03	7.50E-05	4.40E-10	NA	NA
4,4-ddd	3.75E-07	NA	NA	4.40E-10	2.40E-01	1.06E-10
4,4-dde	3.75E-07	NA	NA	4.40E-10	3.40E-01	1.50E-10
4,4-ddt	3.75E-07	5.00E-04	7.50E-04	4.40E-10	3.40E-01	1.50E-10
acenaphthene	3.75E-07	6.00E-01	6.25E-07	4.40E-10	NA	NA
acetone	3.75E-07	1.00E+00	3.75E-07	4.40E-10	NA	NA
acrolein	3.75E-07	NA	NA	4.40E-10	NA	NA
acrylonitrile	3.75E-07	1.00E-02	3.75E-05	4.40E-10	1.00E+00	4.40E-10
aldrin	3.75E-07	3.00E-05	1.25E-02	4.40E-10	1.70E+01	7.48E-09
alpha-bhc	3.75E-07	NA	NA	4.40E-10	6.30E+00	2.77E-09
aniline	3.75E-07	NA	NA	4.40E-10	5.70E-03	2.51E-12
anthracene	3.75E-07	3.00E-01	1.25E-06	4.40E-10	NA	NA
antimony	3.75E-07	4.00E-04	9.37E-04	4.40E-10	NA	NA
aroclor 1016	3.75E-07	NA	NA	4.40E-10	NA	NA
aroclor 1254	3.75E-07	5.00E-05	7.50E-03	4.40E-10	NA	NA
arsenic	3.75E-07	3.00E-04	1.25E-03	4.40E-10	1.50E+00	6.60E-10
barium	3.75E-07	7.00E-02	5.36E-06	4.40E-10	NA	NA
benzene	3.75E-07	NA	NA	4.40E-10	1.00E-01	4.40E-11
benzidine	3.75E-07	3.00E-03	1.25E-04	4.40E-10	5.00E+02	2.20E-07
benzoic acid	3.75E-07	4.00E+00	9.37E-08	4.40E-10	NA	NA
benzo(a)anthracene	3.75E-07	NA	NA	4.40E-10	1.20E+00	5.28E-10
benzo(a)pyrene	3.75E-07	NA	NA	4.40E-10	1.20E+01	5.28E-09
benzo(b)fluoranthene	3.75E-07	NA	NA	4.40E-10	1.20E+00	5.28E-10
benzo(k)fluoranthene	3.75E-07	NA	NA	4.40E-10	1.20E+00	5.28E-10
benzyl alcohol	3.75E-07	1.00E+00	3.75E-07	4.40E-10	NA	NA
benzyl chloride	3.75E-07	NA	NA	4.40E-10	1.70E-01	7.48E-11
beryllium	3.75E-07	5.00E-03	7.50E-05	4.40E-10	NA	NA
beta-bhc	3.75E-07	NA	NA	4.40E-10	1.80E+00	7.92E-10
beta-chloronaphthalene	3.75E-07	NA	NA	4.40E-10	NA	NA
bis(2-chloro-1-methylethyl)ether	3.75E-07	NA	NA	4.40E-10	7.00E-02	3.08E-11

Table B
Summary of Unit Risk Characterization
Construction Worker
Via Dermal Contact with Soils

Intake Equation = CS X CF X EF X ED X AF X ABS X SA
 BW X AT

SA Surface area of exposed skin (50th percentile, hands only) 5800 cm²/day
 AF Adherence Factor 1 mg/cm²
 ABS Absorption factor (see table below) csv
 CF Conversion factor 1.0E-06 kg/mg
 EF Exposure frequency 20 d/year
 EDn Exposure duration for non-carcinogens 0 year
 EDc Exposure duration for carcinogens 0 year
 BW Body weight 70 kg
 ATc Average time for carcinogens (lifetime) 25550 day
 ATn Average time for non-carcinogens (EDn x 365) 30 day
 CS Concentration of chemicals in soil (see table below) csv

Chemical Concentrations

Compound	ABS (unitless)	Concentration (mg/kg)	Compound	ABS (unitless)	Concentration (mg/kg)
4-methylphenol	1.00E-01	1.00E+00	barium	1.00E-02	1.00E+00
4,4-ddd	5.00E-02	1.00E+00	benzene	1.00E-01	1.00E+00
4,4-dde	5.00E-02	1.00E+00	benzidine	1.00E-01	1.00E+00
4,4-ddt	5.00E-02	1.00E+00	benzoic acid	1.00E-01	1.00E+00
acenaphthene	1.50E-01	1.00E+00	benzo(a)anthracene	1.50E-01	1.00E+00
acetone	1.00E-01	1.00E+00	benzo(a)pyrene	1.50E-01	1.00E+00
acrolein	1.00E-01	1.00E+00	benzo(b)fluoranthene	1.50E-01	1.00E+00
acrylonitrile	1.00E-01	1.00E+00	benzo(k)fluoranthene	1.50E-01	1.00E+00
aldrin	5.00E-02	1.00E+00	benzyl alcohol	1.00E-01	1.00E+00
alpha-bhc	5.00E-02	1.00E+00	benzyl chloride	1.00E-01	1.00E+00
aniline	1.00E-01	1.00E+00	beryllium	1.00E-02	1.00E+00
anthracene	1.50E-01	1.00E+00	beta-bhc	5.00E-02	1.00E+00
antimony	1.00E-02	1.00E+00	beta-chloronaphthalene	1.00E-01	1.00E+00
aroclor 1016	1.00E-01	1.00E+00	bis(2-chloro-1-methylethyl)ether	1.00E-01	1.00E+00
aroclor 1254	1.00E-01	1.00E+00			
arsenic	3.00E-02	1.00E+00			

**Table B (cont.)
Summary of Unit Risk Characterization
Construction Worker
Via Dermal Contact with Soils**

Compound	Non-Carcinogenic Calculation			Carcinogenic Calculation		
	CDI (mg/kg-d)	RfD (mg/kg-d)	UH (unitless)	CDI (mg/kg-d)	CSF (mg/kg-d) ⁻¹	UR (unitless)
4-methylphenol	4.53E-07	4.50E-03	1.01E-04	5.32E-10	NA	NA
4,4-ddd	2.26E-07	NA	NA	2.66E-10	2.67E-01	7.09E-11
4,4-dde	2.26E-07	NA	NA	2.66E-10	3.78E-01	1.00E-10
4,4-ddt	2.26E-07	4.50E-04	5.03E-04	2.66E-10	3.78E-01	1.00E-10
acenaphthene	6.79E-07	5.40E-01	1.26E-06	7.98E-10	NA	NA
acetone	4.53E-07	9.00E-01	5.03E-07	5.32E-10	NA	NA
acrolein	4.53E-07	NA	NA	5.32E-10	NA	NA
acrylonitrile	4.53E-07	9.00E-03	5.03E-05	5.32E-10	1.11E+00	5.91E-10
aldrin	2.26E-07	2.70E-05	8.39E-03	2.66E-10	1.89E+01	5.02E-09
alpha-bhc	2.26E-07	NA	NA	2.66E-10	7.00E+00	1.86E-09
aniline	4.53E-07	NA	NA	5.32E-10	6.33E-03	3.37E-12
anthracene	6.79E-07	2.70E-01	2.52E-06	7.98E-10	NA	NA
antimony	4.53E-08	6.00E-05	7.55E-04	5.32E-11	NA	NA
aroclor 1016	4.53E-07	NA	NA	5.32E-10	NA	NA
aroclor 1254	4.53E-07	4.50E-05	1.01E-02	5.32E-10	NA	NA
arsenic	1.36E-07	2.85E-04	4.77E-04	1.60E-10	1.58E+00	2.52E-10
barium	4.53E-08	6.37E-02	7.11E-07	5.32E-11	NA	NA
benzene	4.53E-07	NA	NA	5.32E-10	1.11E-01	5.91E-11
benzidine	4.53E-07	2.70E-03	1.68E-04	5.32E-10	5.56E+02	2.95E-07
benzoic acid	4.53E-07	3.60E+00	1.26E-07	5.32E-10	NA	NA
benzo(a)anthracene	6.79E-07	NA	NA	7.98E-10	1.33E+00	1.06E-09
benzo(a)pyrene	6.79E-07	NA	NA	7.98E-10	1.33E+01	1.06E-08
benzo(b)fluoranthene	6.79E-07	NA	NA	7.98E-10	1.33E+00	1.06E-09
benzo(k)fluoranthene	6.79E-07	NA	NA	7.98E-10	1.33E+00	1.06E-09
benzyl alcohol	4.53E-07	9.00E-01	5.03E-07	5.32E-10	NA	NA
benzyl chloride	4.53E-07	NA	NA	5.32E-10	1.89E-01	1.00E-10
beryllium	4.53E-08	5.00E-05	9.06E-04	5.32E-11	NA	NA
beta-bhc	2.26E-07	NA	NA	2.66E-10	2.00E+00	5.32E-10
beta-chloronaphthalene	4.53E-07	NA	NA	5.32E-10	NA	NA
bis(2-chloro-1-methylethyl)ether	4.53E-07	NA	NA	5.32E-10	7.78E-02	4.14E-11

Table C
Summary of Unit Risk Characterization
Construction Worker
Via Inhalation of Particulates and Volatiles

Intake Equation = $\frac{CS \times (I/VE + I/PEF) \times EF \times ED \times ET \times IR}{BW \times AT}$

IR Inhalation rate of gases (RAGS, 1989) 2.5E+00 m/h
 EF Exposure frequency 2.0E+01 days/year
 EDn Exposure duration for non-carcinogens 8.2E+02 year
 EDc Exposure duration for carcinogens 8.2E+02 year
 BW Body weight 7.0E+01 kg
 ATc Average time for carcinogens (lifetime) 2.6E+04 days
 ATn Average time for non-carcinogens (EDn x 365) 3.0E+01 days
 ET Exposure time 1.0E+00 h/d
 CS Concentration of chemicals in soil (see table below)
 VF Volatilization Factor (see table below)
 PEF Particulate Emission Factor (see table below)

Chemical Concentrations

Compound	VF (m3/kg)	PEF (m3/kg)	Cs (mg/kg)	Compound	VF (m3/kg)	PEF (m3/kg)	Cs (mg/kg)
4-methylphenol	6.3E+06	4.8E+09	1.0E+00	barium	NA	4.8E+09	1.0E+00
4,4-ddd	2.9E+08	4.8E+09	1.0E+00	benzene	7.6E+04	4.8E+09	1.0E+00
4,4-dde	1.8E+07	4.8E+09	1.0E+00	benzidine	5.2E+06	4.8E+09	1.0E+00
4,4-ddt	1.6E+08	4.8E+09	1.0E+00	benzoic acid	9.0E+06	4.8E+09	1.0E+00
acenaphthene	3.6E+06	4.8E+09	1.0E+00	benzo(a)anthracene	3.9E+08	4.8E+09	1.0E+00
acetone	1.5E+05	4.8E+09	1.0E+00	benzo(a)pyrene	3.6E+08	4.8E+09	1.0E+00
acrolein	2.6E+05	4.8E+09	1.0E+00	benzo(b)fluoranthene	2.1E+08	4.8E+09	1.0E+00
acrylonitrile	1.6E+05	4.8E+09	1.0E+00	benzo(k)fluoranthene	1.1E+08	4.8E+09	1.0E+00
aldrin	1.3E+07	4.8E+09	1.0E+00	benzyl alcohol	2.5E+06	4.8E+09	1.0E+00
alpha-bhc	2.3E+07	4.8E+09	1.0E+00	benzyl chloride	4.9E+05	4.8E+09	1.0E+00
aniline	1.3E+07	4.8E+09	1.0E+00	beryllium	NA	4.8E+09	1.0E+00
anthracene	1.5E+07	4.8E+09	1.0E+00	beta-bhc	7.9E+07	4.8E+09	1.0E+00
antimony	NA	4.8E+09	1.0E+00	beta-chloronaphthalene	1.2E+06	4.8E+09	1.0E+00
aroclor 1016	7.2E+06	4.8E+09	1.0E+00	bis(2-chloro-1-methylethyl)et	6.0E+05	4.8E+09	1.0E+00
aroclor 1254	1.2E+07	4.8E+09	1.0E+00				
arsenic	NA	4.8E+09	1.0E+00				

Table C (cont.)
Summary of Unit Risk Characterization
Construction Worker
Via Inhalation of Particulates and Volatiles

Compound	Non-Carcinogenic Calculation			Carcinogenic Calculation		
	CDI (mg/kg-d)	RfD (mg/kg-d)	UH (unitless)	CDI (mg/kg-d)	CSF (mg/kg-d) ⁻¹	UR (unitless)
4-methylphenol	3.1E-10	5.0E-03	6.3E-08	3.7E-13	NA	NA
4,4-ddd	7.2E-12	NA	NA	8.4E-15	2.4E-01	2.0E-15
4,4-dde	1.1E-10	NA	NA	1.3E-13	3.4E-01	4.3E-14
4,4-ddt	1.2E-11	5.0E-04	2.5E-08	1.4E-14	3.4E-01	4.9E-15
acenaphthene	5.4E-10	6.0E-01	9.0E-10	6.3E-13	NA	NA
acetone	1.3E-08	1.0E+00	1.3E-08	1.6E-11	NA	NA
acrolein	7.5E-09	NA	NA	8.8E-12	NA	NA
acrylonitrile	1.2E-08	1.0E-02	1.2E-06	1.4E-11	1.0E+00	1.4E-11
aldrin	1.5E-10	3.0E-05	5.1E-06	1.8E-13	1.7E+01	3.0E-12
alpha-bhc	8.7E-11	NA	NA	1.0E-13	6.3E+00	6.4E-13
aniline	1.5E-10	2.9E-04	5.2E-07	1.7E-13	5.7E-03	9.9E-16
anthracene	1.3E-10	3.0E-01	4.4E-10	1.5E-13	NA	NA
antimony	4.1E-13	4.0E-04	1.0E-09	4.8E-16	NA	NA
aroclor 1016	2.7E-10	NA	NA	3.2E-13	NA	NA
aroclor 1254	1.7E-10	5.0E-05	3.3E-06	2.0E-13	NA	NA
arsenic	4.1E-13	3.0E-04	1.4E-09	4.8E-16	1.2E+01	5.8E-15
barium	4.1E-13	1.4E-03	2.9E-10	4.8E-16	NA	NA
benzene	2.6E-08	NA	NA	3.0E-11	1.0E-01	3.0E-12
benzidine	3.8E-10	3.0E-03	1.3E-07	4.4E-13	5.0E+02	2.2E-10
benzoic acid	2.2E-10	4.0E+00	5.5E-11	2.6E-13	NA	NA
benzo(a)anthracene	5.4E-12	NA	NA	6.3E-15	3.9E-01	2.5E-15
benzo(a)pyrene	5.8E-12	NA	NA	6.8E-15	3.9E+00	2.7E-14
benzo(b)fluoranthene	9.8E-12	NA	NA	1.1E-14	3.9E-01	4.5E-15
benzo(k)fluoranthene	1.8E-11	NA	NA	2.1E-14	3.9E-01	8.0E-15
benzyl alcohol	7.9E-10	1.0E+00	7.9E-10	9.2E-13	NA	NA
benzyl chloride	4.0E-09	NA	NA	4.7E-12	1.7E-01	8.0E-13
beryllium	4.1E-13	5.0E-03	8.2E-11	4.8E-16	8.4E+00	4.0E-15
beta-bhc	2.5E-11	NA	NA	3.0E-14	1.8E+00	5.3E-14
beta-chloronaphthalene	1.6E-09	NA	NA	1.9E-12	NA	NA
bis(2-chloro-1-methylethyl)ether	3.3E-09	NA	NA	3.8E-12	3.5E-02	1.3E-13

Table D
Summary of Unit Risk Calculations
Construction Worker

Chemicals of Concern	Unit Hazard Quotient			Unit Incremental Lifetime Cancer Risk				
	Inhalation (unitless)	Dermal (unitless)	Ingestion (unitless)	Total (unitless)	Inhalation (unitless)	Dermal (unitless)	Ingestion (unitless)	Total (unitless)
4-methylphenol	6.25E-08	1.01E-04	7.50E-05	1.76E-04	NA	NA	NA	NA
4,4-ddd	NA	NA	NA	NA	2.02E-15	7.09E-11	1.06E-10	1.77E-10
4,4-dde	NA	NA	NA	NA	4.28E-14	1.00E-10	1.50E-10	2.50E-10
4,4-ddt	2.47E-08	5.03E-04	7.50E-04	1.25E-03	4.92E-15	1.00E-10	1.50E-10	2.50E-10
acenaphthene	8.97E-10	1.26E-06	6.25E-07	1.88E-06	NA	NA	NA	NA
acetone	1.34E-08	5.03E-07	3.75E-07	8.92E-07	NA	NA	NA	NA
acrolein	NA	NA	NA	NA	NA	NA	NA	NA
acrylonitrile	1.20E-06	5.03E-05	3.75E-05	8.90E-05	1.41E-11	5.91E-10	4.40E-10	1.05E-09
aldrin	5.05E-06	8.39E-03	1.25E-02	2.09E-02	3.03E-12	5.02E-09	7.48E-09	1.25E-08
alpha-bhc	NA	NA	NA	NA	6.43E-13	1.86E-09	2.77E-09	4.64E-09
aniline	5.19E-07	NA	NA	5.19E-07	9.93E-16	3.37E-12	2.51E-12	5.88E-12
anthracene	4.37E-10	2.52E-06	1.25E-06	3.77E-06	NA	NA	NA	NA
antimony	1.02E-09	7.55E-04	9.37E-04	1.69E-03	NA	NA	NA	NA
aroclor 1016	NA	NA	NA	NA	NA	NA	NA	NA
aroclor 1254	3.32E-06	1.01E-02	7.50E-03	1.76E-02	NA	NA	NA	NA
arsenic	1.36E-09	4.77E-04	1.25E-03	1.73E-03	NA	NA	NA	NA
barium	2.86E-10	7.11E-07	5.36E-06	6.07E-06	5.76E-15	2.52E-10	6.60E-10	9.12E-10
benzene	NA	NA	NA	NA	NA	NA	NA	NA
benzidine	1.25E-07	1.68E-04	1.25E-04	2.93E-04	3.00E-12	5.91E-11	4.40E-11	1.06E-10
benzoic acid	5.46E-11	1.26E-07	9.37E-08	2.20E-07	2.21E-10	2.95E-07	2.20E-07	5.16E-07
benzo(a)anthracene	NA	NA	NA	NA	NA	NA	NA	NA
benzo(a)pyrene	NA	NA	NA	NA	2.47E-15	1.06E-09	5.28E-10	1.59E-09
benzo(b)fluoranthene	NA	NA	NA	NA	2.67E-14	1.06E-08	5.28E-09	1.59E-08
benzo(k)fluoranthene	NA	NA	NA	NA	4.48E-15	1.06E-09	5.28E-10	1.59E-09
benzyl alcohol	7.85E-10	5.03E-07	3.75E-07	8.79E-07	8.03E-15	1.06E-09	5.28E-10	1.59E-09
benzyl chloride	NA	NA	NA	NA	NA	NA	NA	NA
beryllium	8.18E-11	9.06E-04	7.50E-05	9.81E-04	7.99E-13	1.00E-10	7.48E-11	1.76E-10
beta-bhc	NA	NA	NA	NA	4.03E-15	NA	NA	4.03E-15
beta-chloronaphthalene	NA	NA	NA	NA	5.31E-14	5.32E-10	7.92E-10	1.32E-09
bis(2-chloro-1-methylethyl)ether	NA	NA	NA	NA	1.34E-13	4.14E-11	3.08E-11	7.23E-11

Table E
Summary of Health-Based Soil Concentrations
Via Construction Worker Scenario

Chemicals of Concern	Hazard Quotient			Incremental Lifetime Cancer Risk		
	Total Unit HQ (unitless)	Soil Scaled Soil Concentration HQ=0.2	Risk based Concentration HQ=0.2	Total Unit ILCR (unitless)	Soil Scaled Soil Concentration ILCR=1E-06	Risk based Concentration ILCR=1E-06
4-methylphenol	1.76E-04	1.14E+03	1.14E+03	NA	NA	NA
4,4-ddd	NA	NA	NA	1.77E-10	5.66E+03	5.66E+03
4,4-dde	NA	NA	NA	2.50E-10	4.00E+03	4.00E+03
4,4-ddt	1.25E-03	1.60E+02	1.60E+02	2.50E-10	4.00E+03	4.00E+03
acenaphthene	1.88E-06	1.06E+05	1.06E+05	NA	NA	NA
acetone	8.92E-07	2.24E+05	2.24E+05	NA	NA	NA
acrolein	NA	NA	NA	NA	NA	NA
acrylonitrile	8.90E-05	2.25E+03	2.25E+03	1.05E-09	9.57E+02	9.57E+02
aldrin	2.09E-02	9.57E+00	9.57E+00	1.25E-08	7.99E+01	7.99E+01
alpha-bhc	NA	NA	NA	4.64E-09	2.16E+02	2.16E+02
aniline	5.19E-07	3.85E+05	3.85E+05	5.88E-12	1.70E+05	1.70E+05
anthracene	3.77E-06	5.31E+04	5.31E+04	NA	NA	NA
antimony	1.69E-03	1.18E+02	1.18E+02	NA	NA	NA
aroclor 1016	NA	NA	NA	NA	NA	NA
aroclor 1254	1.76E-02	1.14E+01	1.14E+01	NA	NA	NA
arsenic	1.73E-03	1.16E+02	1.16E+02	9.12E-10	1.10E+03	1.10E+03
barium	6.07E-06	3.30E+04	3.30E+04	NA	NA	NA
benzene	NA	NA	NA	1.06E-10	9.42E+03	9.42E+03
benzidine	2.93E-04	6.83E+02	6.83E+02	5.16E-07	1.94E+00	1.94E+00
benzoic acid	2.20E-07	9.11E+05	9.11E+05	NA	NA	NA
benzo(a)anthracene	NA	NA	NA	1.59E-09	6.28E+02	6.28E+02
benzo(a)pyrene	NA	NA	NA	1.59E-08	6.28E+01	6.28E+01
benzo(b)fluoranthene	NA	NA	NA	1.59E-09	6.28E+02	6.28E+02
benzo(k)fluoranthene	NA	NA	NA	1.59E-09	6.28E+02	6.28E+02
benzyl alcohol	8.79E-07	2.28E+05	2.28E+05	NA	NA	NA
benzyl chloride	NA	NA	NA	1.76E-10	5.68E+03	5.68E+03
beryllium	9.81E-04	2.04E+02	2.04E+02	4.03E-15	2.48E+08	2.48E+08
beta-bhc	NA	NA	NA	1.32E-09	7.55E+02	7.55E+02
beta-chloronaphthalene	NA	NA	NA	NA	NA	NA
bis(2-chloro-1-methylethyl)ether	NA	NA	NA	7.23E-11	1.38E+04	1.38E+04

Table A
Summary of Unit Risk Characterization
Construction Worker
Via Incidental Ingestion of Soils

$$= \frac{CS \times EF \times ED \times CF \times IR}{BW \times AT}$$

IRs	Ingestion rate of soil (RAGS, 1989)	480 mg/day
CF	Conversion factor	1.0E-06 kg/mg
EF	Exposure frequency	20 d/year
EDn	Exposure duration for non-carcinogens	0.082 year
EDc	Exposure duration for carcinogens	0.082 year
BW	Body weight	70 kg
ATc	Average time for carcinogens (lifetime)	25550 day
ATn	Average time for non-carcinogens (EDn x 365)	30 day
CS	Concentration of chemicals in soil	(see table below)

Chemical Concentrations

Compound	Concentration	Compound	Concentration
bis(2-chloroethyl)ether	1.0E+00	cis-1,2-dichloroethene	1.0E+00
bis(2-ethylhexyl)phthalate	1.0E+00	copper	1.0E+00
bromodichloromethane	1.0E+00	cumene	1.0E+00
bromoform	1.0E+00	cyanide	1.0E+00
bromomethane	1.0E+00	dibenzo(a,h)anthracene	1.0E+00
cadmium	1.0E+00	dibromochloromethane	1.0E+00
carbazole	1.0E+00	dichlorodifluoromethane	1.0E+00
carbon disulfide	1.0E+00	dieldrin	1.0E+00
carbon tetrachloride	1.0E+00	diethyl phthalate	1.0E+00
chloroethane	1.0E+00	di-n-butylphthalate	1.0E+00
chlorobenzene	1.0E+00	di-n-octylphthalate	1.0E+00
chloroform	1.0E+00	endosulfan	1.0E+00
chloromethane	1.0E+00	endrin	1.0E+00
chromium iii	1.0E+00	ethyl chloride	1.0E+00
chromium vi	1.0E+00		
chrysene	1.0E+00		

Table A (cont.)
Summary of Unit Risk Characterization
Construction Worker
Via Incidental Ingestion of Soils

Compound	Non-Carcinogenic Calculation			Carcinogenic Calculation		
	CDI (mg/kg-d)	RfD (mg/kg-d)	UH (unitless)	CDI (mg/kg-d)	CSF (mg/kg-d) ⁻¹	UR (unitless)
bis(2-chloroethyl)ether	3.75E-07	NA	NA	4.40E-10	2.50E+00	1.10E-09
bis(2-ethylhexyl)phthalate	3.75E-07	NA	NA	4.40E-10	8.40E-03	3.70E-12
bromodichloromethane	3.75E-07	2.00E-02	1.87E-05	4.40E-10	1.30E-01	5.72E-11
bromoform	3.75E-07	2.00E-02	1.87E-05	4.40E-10	7.93E-03	3.49E-12
bromomethane	3.75E-07	NA	NA	4.40E-10	NA	NA
cadmium	3.75E-07	5.00E-04	7.50E-04	4.40E-10	NA	NA
carbazole	3.75E-07	NA	NA	4.40E-10	2.00E-02	8.80E-12
carbon disulfide	3.75E-07	1.00E-01	3.75E-06	4.40E-10	NA	NA
carbon tetrachloride	3.75E-07	NA	NA	4.40E-10	1.50E-01	6.60E-11
chlordan	3.75E-07	6.00E-05	6.25E-03	4.40E-10	1.20E+00	5.28E-10
chlorobenzene	3.75E-07	NA	NA	4.40E-10	NA	NA
chloroform	3.75E-07	1.00E-02	3.75E-05	4.40E-10	3.10E-02	1.36E-11
chloromethane	3.75E-07	NA	NA	4.40E-10	1.30E-02	5.72E-12
chromium iii	3.75E-07	1.00E+00	3.75E-07	4.40E-10	NA	NA
chromium vi	3.75E-07	2.00E-02	1.87E-05	4.40E-10	4.20E-01	1.85E-10
chrysene	3.75E-07	NA	NA	4.40E-10	1.20E-01	5.28E-11
cis-1,2-dichloroethene	3.75E-07	1.00E-01	3.75E-06	4.40E-10	NA	NA
copper	3.75E-07	3.70E-02	1.01E-05	4.40E-10	NA	NA
cumene	3.75E-07	4.00E-01	9.37E-07	4.40E-10	NA	NA
cyanide	3.75E-07	2.00E-02	1.87E-05	4.40E-10	NA	NA
dibenzo(a,h)anthracene	3.75E-07	NA	NA	4.40E-10	4.10E+00	1.80E-09
dibromochloromethane	3.75E-07	2.00E-01	1.87E-06	4.40E-10	9.40E-02	4.14E-11
dichlorodifluoromethane	3.75E-07	9.00E-01	4.17E-07	4.40E-10	NA	NA
dieldrin	3.75E-07	5.00E-05	7.50E-03	4.40E-10	1.60E+01	7.04E-09
diethyl phthalate	3.75E-07	8.00E+00	4.69E-08	4.40E-10	NA	NA
di-n-butylphthalate	3.75E-07	1.00E+00	3.75E-07	4.40E-10	NA	NA
di-n-octylphthalate	3.75E-07	2.00E-02	1.87E-05	4.40E-10	NA	NA
endosulfan	3.75E-07	6.00E-03	6.25E-05	4.40E-10	NA	NA
endrin	3.75E-07	3.00E-04	1.25E-03	4.40E-10	NA	NA
ethyl chloride	3.75E-07	NA	NA	4.40E-10	NA	NA

Table B
Summary of Unit Risk Characterization
Construction Worker
Via Dermal Contact with Soils

Intake Equation = CS.X.CF.X.EF.X.ED.X.A.F.X.ABS.X.SA
 BW.X.AT

SA Surface area of exposed skin (50th percentile, hands only)
 AF Adherence Factor
 ABS Absorption factor (see table below)
 CF Conversion factor
 EF Exposure frequency
 EDn Exposure duration for non-carcinogens
 EDc Exposure duration for carcinogens
 BW Body weight
 ATc Average time for carcinogens (lifetime)
 ATn Average time for non-carcinogens (EDn x 365)
 CS Concentration of chemicals in soil (see table below)

5800 cm²/day
 1 mg/cm²
 csv
 1.0E-06 kg/mg
 20 d/year
 0 year
 0 year
 70 kg
 25550 day
 30 day
 csv

Chemical Concentrations

Compound	ABS (unitless)	Concentration (mg/kg)	Compound	ABS (unitless)	Concentration (mg/kg)
bis(2-chloroethyl)ether	1.00E-01	1.00E+00	cis-1,2-dichloroethene	1.00E-01	1.00E+00
bis(2-ethylhexyl)phthalate	1.00E-01	1.00E+00	copper	1.00E-02	1.00E+00
bromodichloromethane	1.00E-01	1.00E+00	cumene	1.00E-01	1.00E+00
bromoform	1.00E-01	1.00E+00	cyanide	1.00E-02	1.00E+00
bromomethane	1.00E-01	1.00E+00	dibenzo(a,h)anthracene	1.50E-01	1.00E+00
cadmium	1.00E-03	1.00E+00	dibromochloromethane	1.00E-01	1.00E+00
carbazole	1.00E-01	1.00E+00	dichlorodifluoromethane	1.00E-01	1.00E+00
carbon disulfide	1.00E-01	1.00E+00	dieldrin	5.00E-02	1.00E+00
carbon tetrachloride	1.00E-01	1.00E+00	diethyl phthalate	1.00E-01	1.00E+00
chlordan	1.00E-01	1.00E+00	di-n-butylphthalate	1.00E-01	1.00E+00
chlorobenzene	1.00E-01	1.00E+00	di-n-octylphthalate	1.00E-01	1.00E+00
chloroform	1.00E-01	1.00E+00	endosulfan	5.00E-02	1.00E+00
chloromethane	1.00E-01	1.00E+00	endrin	5.00E-02	1.00E+00
chromium iii	1.00E-02	1.00E+00	ethyl chloride	1.00E-01	1.00E+00
chromium vi	1.00E-04	1.00E+00			
chrysene	1.50E-01	1.00E+00			

**Table B (cont.)
Summary of Unit Risk Characterization
Construction Worker
Via Dermal Contact with Soils**

Compound	Non-Carcinogenic Calculation			Carcinogenic Calculation		
	CDI (mg/kg-d)	RII (mg/kg-d)	UH (unitless)	CDI (mg/kg-d)	CSF (mg/kg-d) ⁻¹	UR (unitless)
bis(2-chloroethyl) ether	4.53E-07	NA	NA	5.32E-10	2.78E+00	1.48E-09
bis(2-ethylhexyl)phthalate	4.53E-07	NA	NA	5.32E-10	9.33E-03	4.96E-12
bromodichloromethane	4.53E-07	1.80E-02	2.52E-05	5.32E-10	1.44E-01	7.68E-11
bromoform	4.53E-07	1.80E-02	2.52E-05	5.32E-10	8.81E-03	4.69E-12
bromomethane	4.53E-07	NA	NA	5.32E-10	NA	NA
cadmium	4.53E-09	2.50E-05	1.81E-04	5.32E-12	NA	NA
carbazole	4.53E-07	NA	NA	5.32E-10	2.22E-02	1.18E-11
carbon disulfide	4.53E-07	9.00E-02	5.03E-06	5.32E-10	NA	NA
carbon tetrachloride	4.53E-07	NA	NA	5.32E-10	1.67E-01	8.86E-11
chloroethane	4.53E-07	5.40E-05	8.39E-03	5.32E-10	1.33E+00	7.09E-10
chlorobenzene	4.53E-07	NA	NA	5.32E-10	NA	NA
chloroform	4.53E-07	1.00E-02	4.53E-05	5.32E-10	3.10E-02	1.65E-11
chloromethane	4.53E-07	NA	NA	5.32E-10	1.44E-02	7.68E-12
chromium iii	4.53E-08	4.50E-01	1.01E-07	5.32E-11	NA	NA
chromium vi	4.53E-10	9.00E-03	5.03E-08	5.32E-13	9.33E-01	4.96E-13
chrysene	6.79E-07	NA	NA	7.98E-10	1.33E-01	1.06E-10
cis-1,2-dichloroethene	4.53E-07	9.00E-02	5.03E-06	5.32E-10	NA	NA
copper	4.53E-08	2.22E-02	2.04E-06	5.32E-11	NA	NA
cumene	4.53E-07	3.60E-01	1.26E-06	5.32E-10	NA	NA
cyanide	4.53E-08	1.44E-02	3.15E-06	5.32E-11	NA	NA
dibenzo(a,h)anthracene	6.79E-07	NA	NA	7.98E-10	4.56E+00	3.63E-09
dibromochloromethane	4.53E-07	1.80E-01	2.52E-06	5.32E-10	1.04E-01	5.55E-11
dichlorodifluoromethane	4.53E-07	8.10E-01	5.99E-07	5.32E-10	NA	NA
dieldrin	2.26E-07	4.50E-05	5.03E-03	2.66E-10	1.78E+01	4.73E-09
diethyl phthalate	4.53E-07	7.20E+00	6.29E-08	5.32E-10	NA	NA
di-n-butylphthalate	4.53E-07	9.00E-01	5.03E-07	5.32E-10	NA	NA
di-n-octylphthalate	4.53E-07	1.80E-02	2.52E-05	5.32E-10	NA	NA
endosulfan	2.26E-07	5.40E-03	4.19E-05	2.66E-10	NA	NA
endrin	2.26E-07	2.70E-04	8.39E-04	2.66E-10	NA	NA
ethyl chloride	4.53E-07	NA	NA	5.32E-10	NA	NA

Table C
Summary of Unit Risk Characterization
Construction Worker
Via Inhalation of Particulates and Volatiles

Intake Equation = $CS \times (1/VE + 1/PEF) \times EF \times ED \times ET \times IR$
 BW X AT

IR	Inhalation rate of gases (RAGS, 1989)	2.5E+00 m ³ /h
EF	Exposure frequency	2.0E+01 days/year
EDn	Exposure duration for non-carcinogens	8.2E-02 year
EDc	Exposure duration for carcinogens	8.2E-02 year
BW	Body weight	7.0E+01 kg
ATc	Average time for carcinogens (lifetime)	2.6E+04 days
ATn	Average time for non-carcinogens (EDn x 365)	3.0E+01 days
ET	Exposure time	1.0E+00 h/d
CS	Concentration of chemicals in soil	(see table below)
VF	Volatilization Factor	(see table below)
PEF	Particulate Emission Factor	(see table below)

Chemical Concentrations

Compound	VF (m ³ /kg)	PEF (m ³ /kg)	CS (mg/kg)	Compound	VF (m ³ /kg)	PEF (m ³ /kg)	CS (mg/kg)
bis(2-chloroethyl)ether	7.8E+05	4.8E+09	1.0E+00	cis-1,2-dichloroethene	6.0E+04	4.8E+09	1.0E+00
bis(2-ethylhexyl)phthalate	1.0E+08	4.8E+09	1.0E+00	copper	NA	4.8E+09	1.0E+00
bromodichloromethane	3.6E+05	4.8E+09	1.0E+00	cumene	3.3E+05	4.8E+09	1.0E+00
bromoform	4.2E+05	4.8E+09	1.0E+00	cyanide	NA	4.8E+09	1.0E+00
bromomethane	1.8E+04	4.8E+09	1.0E+00	dibenz(a,h)anthracene	3.0E+10	4.8E+09	1.0E+00
cadmium	NA	4.8E+09	1.0E+00	dibromochloromethane	7.0E+04	4.8E+09	1.0E+00
carbazole	6.8E+07	4.8E+09	1.0E+00	dichlorodifluoromethane	4.4E+03	4.8E+09	1.0E+00
carbon disulfide	4.0E+04	4.8E+09	1.0E+00	dieldrin	1.1E+07	4.8E+09	1.0E+00
carbon tetrachloride	8.3E+04	4.8E+09	1.0E+00	diethyl phthalate	6.1E+06	4.8E+09	1.0E+00
chlordane	8.0E+06	4.8E+09	1.0E+00	di-n-butylphthalate	4.5E+06	4.8E+09	1.0E+00
chlorobenzene	1.5E+05	4.8E+09	1.0E+00	di-n-octylphthalate	6.6E+07	4.8E+09	1.0E+00
chloroform	7.9E+04	4.8E+09	1.0E+00	endosulfan	1.3E+07	4.8E+09	1.0E+00
chloromethane	1.0E+04	4.8E+09	1.0E+00	endrin	4.7E+07	4.8E+09	1.0E+00
chromium iii	NA	4.8E+09	1.0E+00	ethyl chloride	5.1E+04	4.8E+09	1.0E+00
chromium vi	NA	4.8E+09	1.0E+00				
chrysene	8.3E+08	4.8E+09	1.0E+00				

Table C (cont.)
Summary of Unit Risk Characterization
Construction Worker
Via Inhalation of Particulates and Volatiles

Compound	Non-Carcinogenic Calculation			Carcinogenic Calculation		
	CDI (mg/kg-d)	RD (mg/kg-d)	UH (unitless)	CDI (mg/kg-d)	CSF (mg/kg-d) ⁻¹	UR (unitless)
bis(2-chloroethyl)ether	2.5E-09	NA	NA	3.0E-12	2.5E+00	7.4E-12
bis(2-ethylhexyl)phthalate	1.9E-11	NA	NA	2.3E-14	8.4E-03	1.9E-16
bromodichloromethane	5.3E-09	2.0E-02	2.7E-07	6.3E-12	1.3E-01	8.2E-13
bromoform	4.7E-09	2.0E-02	2.3E-07	5.5E-12	3.9E-03	2.1E-14
bromomethane	1.1E-07	NA	NA	1.3E-10	NA	NA
cadmium	4.1E-13	5.0E-04	8.2E-10	4.8E-16	1.5E+01	7.2E-15
carbazole	2.9E-11	NA	NA	3.4E-14	2.0E-02	6.8E-16
carbon disulfide	4.9E-08	2.0E-01	2.4E-07	5.7E-11	NA	NA
carbon tetrachloride	2.3E-08	NA	NA	2.8E-11	1.5E-01	4.1E-12
chlordan	2.4E-10	6.0E-05	4.1E-06	2.9E-13	1.2E+00	3.4E-13
chlorobenzene	1.3E-08	NA	NA	1.5E-11	NA	NA
chloroform	2.5E-08	1.0E-02	2.5E-06	2.9E-11	1.9E-02	5.5E-13
chloromethane	1.9E-07	NA	NA	2.2E-10	6.3E-03	1.4E-12
chromium iii	4.1E-13	1.0E+00	4.1E-13	4.8E-16	NA	NA
chromium vi	4.1E-13	2.0E-02	2.0E-11	4.8E-16	5.1E+02	2.4E-13
chrysene	2.8E-12	NA	NA	3.2E-15	3.9E-02	1.3E-16
cis-1,2-dichloroethene	3.3E-08	1.0E-01	3.3E-07	3.8E-11	NA	NA
copper	4.1E-13	3.7E-02	1.1E-11	4.8E-16	NA	NA
cumene	5.9E-09	2.6E-02	2.3E-07	7.0E-12	NA	NA
cyanide	4.1E-13	2.0E-02	2.0E-11	4.8E-16	NA	NA
dibenzo(a,h)anthracene	4.7E-13	NA	NA	5.6E-16	4.1E+00	2.3E-15
dibromochloromethane	2.8E-08	2.0E-01	1.4E-07	3.3E-11	9.4E-02	3.1E-12
dichlorodifluoromethane	4.4E-07	5.7E-01	7.7E-07	5.2E-10	NA	NA
dieldrin	1.7E-10	5.0E-05	3.4E-06	2.0E-13	1.6E+01	3.2E-12
diethyl phthalate	3.2E-10	8.0E+00	4.0E-11	3.8E-13	NA	NA
di-n-butylphthalate	4.3E-10	1.0E+00	4.3E-10	5.1E-13	NA	NA
di-n-octylphthalate	3.0E-11	2.0E-02	1.5E-09	3.5E-14	NA	NA
endosulfan	1.5E-10	6.0E-03	2.5E-08	1.7E-13	NA	NA
endrin	4.2E-11	3.0E-04	1.4E-07	4.9E-14	NA	NA
ethyl chloride	3.8E-08	2.9E+00	1.3E-08	4.5E-11	NA	NA

Table D
Summary of Unit Risk Calculations
Construction Worker

Chemicals of Concern	Unit Hazard Quotient				Unit Incremental Lifetime Cancer Risk			
	Inhalation (unitless)	Dermal (unitless)	Ingestion (unitless)	Total (unitless)	Inhalation (unitless)	Dermal (unitless)	Ingestion (unitless)	Total (unitless)
bis(2-chloroethyl) ether	NA	NA	NA	NA	7.39E-12	1.48E-09	1.10E-09	2.59E-09
bis(2-ethylhexyl)phthalate	NA	NA	NA	NA	1.92E-16	4.96E-12	3.70E-12	8.66E-12
bromodichloromethane	2.67E-07	2.52E-05	1.87E-05	4.42E-05	8.17E-13	7.68E-11	5.72E-11	1.35E-10
bromoform	2.34E-07	2.52E-05	1.87E-05	4.41E-05	2.15E-14	4.69E-12	3.49E-12	8.20E-12
bromomethane	NA	NA	NA	NA	NA	NA	NA	NA
cadmium	8.18E-10	1.81E-04	7.50E-04	9.31E-04	7.20E-15	NA	NA	7.20E-15
carbazole	NA	NA	NA	NA	6.83E-16	1.18E-11	8.80E-12	2.06E-11
carbon disulfide	2.43E-07	5.03E-06	3.75E-06	9.02E-06	NA	NA	NA	NA
carbon tetrachloride	NA	NA	NA	NA	4.14E-12	8.86E-11	6.60E-11	1.59E-10
chlorodane	4.05E-06	8.39E-03	6.25E-03	1.46E-02	3.43E-13	7.09E-10	5.28E-10	1.24E-09
chlorobenzene	NA	NA	NA	NA	NA	NA	NA	NA
chloroform	2.48E-06	4.53E-05	3.75E-05	8.53E-05	5.53E-13	1.65E-11	1.36E-11	3.07E-11
chloromethane	NA	NA	NA	NA	1.39E-12	7.68E-12	5.72E-12	1.48E-11
chromium iii	4.09E-13	1.01E-07	3.75E-07	4.76E-07	NA	NA	NA	NA
chromium vi	2.04E-11	5.03E-08	1.87E-05	1.88E-05	2.45E-13	4.96E-13	1.85E-10	1.86E-10
chrysene	NA	NA	NA	NA	1.27E-16	1.06E-10	5.28E-11	1.59E-10
cis-1,2-dichloroethene	3.28E-07	5.03E-06	3.75E-06	9.11E-06	NA	NA	NA	NA
copper	1.11E-11	2.04E-06	1.01E-05	1.22E-05	NA	NA	NA	NA
cumene	2.30E-07	1.26E-06	9.37E-07	2.43E-06	NA	NA	NA	NA
cyanide	2.04E-11	3.15E-06	1.87E-05	2.19E-05	NA	NA	NA	NA
dibenz(a,h)anthracene	NA	NA	NA	NA	2.28E-15	3.63E-09	1.80E-09	5.44E-09
dibromochloromethane	1.39E-07	2.52E-06	1.87E-06	4.53E-06	3.08E-12	5.55E-11	4.14E-11	1.00E-10
dichlorodifluoromethane	7.71E-07	5.59E-07	4.17E-07	1.75E-06	NA	NA	NA	NA
dieldrin	3.44E-06	5.03E-03	7.50E-03	1.25E-02	3.23E-12	4.73E-09	7.04E-09	1.18E-08
diethyl phthalate	4.03E-11	6.29E-08	4.69E-08	1.10E-07	NA	NA	NA	NA
di-n-butylphthalate	4.32E-10	5.03E-07	3.75E-07	8.79E-07	NA	NA	NA	NA
di-n-octylphthalate	1.50E-09	2.52E-05	1.87E-05	4.39E-05	NA	NA	NA	NA
endosulfan	2.47E-08	4.19E-05	6.25E-05	1.04E-04	NA	NA	NA	NA
endrin	1.39E-07	8.39E-04	1.25E-03	2.09E-03	NA	NA	NA	NA
ethyl chloride	1.35E-08	NA	NA	1.35E-08	NA	NA	NA	NA

Table E
Summary of Health-Based Soil Concentrations
Via Construction Worker Scenario

Chemicals of Concern	Hazard Quotient			Incremental Lifetime Cancer Risk		
	Total Unit HQ (unitless)	Soil (mg/kg) Scaled Soil Concentration HQ=0.2	Risk based Concentration HQ=0.2	Total Unit ILCR (unitless)	Soil (mg/kg) Scaled Soil Concentration ILCR=1E-06	Risk based Concentration ILCR=1E-06
bis(2-chloroethyl)ether	NA	NA	NA	2.59E-09	3.87E+02	3.87E+02
bis(2-ethylhexyl)phthalate	NA	NA	NA	8.66E-12	1.15E+05	1.15E+05
bromodichloromethane	4.42E-05	4.53E+03	4.53E+03	1.35E-10	7.42E+03	7.42E+03
bromoform	4.41E-05	4.53E+03	4.53E+03	8.20E-12	1.22E+05	1.22E+05
bromomethane	NA	NA	NA	NA	NA	NA
cadmium	9.31E-04	2.15E+02	2.15E+02	7.20E-15	1.39E+08	1.39E+08
carbazole	NA	NA	NA	2.06E-11	4.85E+04	4.85E+04
carbon disulfide	9.02E-06	2.22E+04	2.22E+04	NA	NA	NA
carbon tetrachloride	NA	NA	NA	1.59E-10	6.30E+03	6.30E+03
chlordane	1.46E-02	1.37E+01	1.37E+01	1.24E-09	8.08E+02	8.08E+02
chlorobenzene	NA	NA	NA	NA	NA	NA
chloroform	8.53E-05	2.35E+03	2.35E+03	3.07E-11	3.26E+04	3.26E+04
chloromethane	NA	NA	NA	1.48E-11	6.76E+04	6.76E+04
chromium iii	4.76E-07	4.21E+05	4.21E+05	NA	NA	NA
chromium vi	1.88E-05	1.06E+04	1.06E+04	1.86E-10	5.39E+03	5.39E+03
chrysene	NA	NA	NA	1.59E-10	6.28E+03	6.28E+03
cis-1,2-dichloroethene	9.11E-06	2.20E+04	2.20E+04	NA	NA	NA
copper	1.22E-05	1.64E+04	1.64E+04	NA	NA	NA
cumene	2.43E-06	8.24E+04	8.24E+04	NA	NA	NA
cyamide	2.19E-05	9.14E+03	9.14E+03	NA	NA	NA
dibenzo(a,h)anthracene	NA	NA	NA	5.44E-09	1.84E+02	1.84E+02
dibromochloromethane	4.53E-06	4.41E+04	4.41E+04	1.00E-10	1.00E+04	1.00E+04
dichlorodifluoromethane	1.75E-06	1.14E+05	1.14E+05	NA	NA	NA
dieldrin	1.25E-02	1.60E+01	1.60E+01	1.18E-08	8.49E+01	8.49E+01
diethyl phthalate	1.10E-07	1.82E+06	1.82E+06	NA	NA	NA
di-n-butylphthalate	8.79E-07	2.28E+05	2.28E+05	NA	NA	NA
di-n-octylphthalate	4.39E-05	4.55E+03	4.55E+03	NA	NA	NA
endosulfan	1.04E-04	1.91E+03	1.91E+03	NA	NA	NA
endrin	2.09E-03	9.58E+01	9.58E+01	NA	NA	NA
ethyl chloride	1.35E-08	1.49E+07	1.49E+07	NA	NA	NA

Table A
 Summary of Unit Risk Characterization
 Construction Worker
 Via Incidental Ingestion of Soils

$$CS \times EF \times ED \times CF \times IR = BW \times AT$$

IRs	Ingestion rate of soil (RAGS, 1989)	480 mg/day
CF	Conversion factor	1.0E-06 kg/mg
EF	Exposure frequency	20 d/year
EDn	Exposure duration for non-carcinogens	0.082 year
EDc	Exposure duration for carcinogens	0.082 year
BW	Body weight	70 kg
ATc	Average time for carcinogens (lifetime)	25550 day
ATn	Average time for non-carcinogens (EDn x 365)	30 day
CS	Concentration of chemicals in soil	(see table below)

Chemical Concentrations

Compound	Concentration	Compound	Concentration
ethylbenzene	1.0E+00	methylene bromide	1.0E+00
fluoranthene	1.0E+00	methylene chloride	1.0E+00
fluorene	1.0E+00	methyl-tert-butyl ether	1.0E+00
gamma-bhc	1.0E+00	molybdenum	1.0E+00
heptachlor	1.0E+00	n-butylbenzyl phthalate	1.0E+00
heptachlor epoxide	1.0E+00	nickel	1.0E+00
hexachlorobenzene	1.0E+00	nitroaniline, o-	1.0E+00
hexachlorobutadiene	1.0E+00	nitrobenzene	1.0E+00
hexachlorocyclopentadiene	1.0E+00	nitrosodiphenylamine, p-	1.0E+00
hexachloroethane	1.0E+00	n-nitrosodimethylamine	1.0E+00
indeno(1,2,3-cd)pyrene	1.0E+00	n-nitroso-di-n-propylamine	1.0E+00
isobutyl alcohol	1.0E+00	n-nitrosodiphenylamine	1.0E+00
isophorone	1.0E+00	o-chlorotoluene	1.0E+00
mercury	1.0E+00	p-chloro-m-cresol	1.0E+00
methoxychlor	1.0E+00		
methyl methacrylate	1.0E+00		

Table A (cont.)
Summary of Unit Risk Characterization
Construction Worker
Via Incidental Ingestion of Soils

Compound	Non-Carcinogenic Calculation			Carcinogenic Calculation		
	CDI (mg/kg-d)	RfD (mg/kg-d)	UH (unitless)	CDI (mg/kg-d)	CSF (mg/kg-d) ⁻¹	UR (unitless)
ethylbenzene	3.75E-07	NA	NA	4.40E-10	NA	NA
fluoranthene	3.75E-07	4.00E-01	9.37E-07	4.40E-10	NA	NA
fluorene	3.75E-07	4.00E-01	9.37E-07	4.40E-10	NA	NA
gamma-bhc	3.75E-07	3.00E-03	1.25E-04	4.40E-10	1.10E+00	4.84E-10
heptachlor	3.75E-07	5.00E-04	7.50E-04	4.40E-10	5.70E+00	2.51E-09
heptachlor epoxide	3.75E-07	1.30E-05	2.88E-02	4.40E-10	1.30E+01	5.72E-09
hexachlorobenzene	3.75E-07	NA	NA	4.40E-10	1.80E+00	7.92E-10
hexachlorobutadiene	3.75E-07	NA	NA	4.40E-10	7.80E-02	3.43E-11
hexachlorocyclopentadiene	3.75E-07	7.00E-02	5.36E-06	4.40E-10	NA	NA
hexachloroethane	3.75E-07	1.00E-02	3.75E-05	4.40E-10	3.90E-02	1.72E-11
indeno(1,2,3-cd)pyrene	3.75E-07	NA	NA	4.40E-10	1.20E+00	5.28E-10
isobutyl alcohol	3.75E-07	3.00E+00	1.25E-07	4.40E-10	NA	NA
isophorone	3.75E-07	2.00E+00	1.87E-07	4.40E-10	9.50E-04	4.18E-13
mercury	3.75E-07	3.00E-04	1.25E-03	4.40E-10	NA	NA
methoxychlor	3.75E-07	5.00E-03	7.50E-05	4.40E-10	NA	NA
methyl methacrylate	3.75E-07	8.00E-02	4.69E-06	4.40E-10	NA	NA
methylene bromide	3.75E-07	1.00E-01	3.75E-06	4.40E-10	NA	NA
methylene chloride	3.75E-07	6.00E-02	6.25E-06	4.40E-10	1.40E-02	6.16E-12
methyl-tert-butyl ether	3.75E-07	NA	NA	4.40E-10	NA	NA
molybdenum	3.75E-07	4.00E-02	9.37E-06	4.40E-10	NA	NA
n-butylbenzyl phthalate	3.75E-07	2.00E-01	1.87E-06	4.40E-10	NA	NA
nickel	3.75E-07	2.00E-02	1.87E-05	4.40E-10	NA	NA
nitroaniline, o-	3.75E-07	NA	NA	4.40E-10	NA	NA
nitrobenzene	3.75E-07	5.00E-03	7.50E-05	4.40E-10	NA	NA
nitrosodiphenylamine, p-	3.75E-07	NA	NA	4.40E-10	2.20E-02	9.68E-12
n-nitrosodimethylamine	3.75E-07	NA	NA	4.40E-10	1.60E+01	7.04E-09
n-nitroso-di-n-propylamine	3.75E-07	NA	NA	4.40E-10	7.00E+00	3.08E-09
n-nitrosodiphenylamine	3.75E-07	NA	NA	4.40E-10	9.00E-03	3.96E-12
o-chlorotoluene	3.75E-07	2.00E-01	1.87E-06	4.40E-10	NA	NA
p-chloro-m-cresol	3.75E-07	2.00E+00	1.87E-07	4.40E-10	NA	NA

Table B
Summary of Unit Risk Characterization
Construction Worker
Via Dermal Contact with Soils

Intake Equation = CS.X.CF.X.EF.X.ED.X.AE.X.ABS.X.SA.
 BW.X.AT

SA	Surface area of exposed skin (50th percentile, hands only)	5800	cm ² /day
AF	Adherence Factor	1	mg/cm ²
ABS	Absorption factor (see table below)	csv	
CF	Conversion factor	1.0E-06	kg/mg
EF	Exposure frequency	20	d/year
EDn	Exposure duration for non-carcinogens	0	year
EDc	Exposure duration for carcinogens	0	year
BW	Body weight	70	kg
ATc	Average time for carcinogens (lifetime)	25550	day
ATn	Average time for non-carcinogens (EDn x 365)	30	day
CS	Concentration of chemicals in soil (see table below)	csv	

Chemical Concentrations

Compound	ABS (unitless)	Concentration (mg/kg)	Compound	ABS (unitless)	Concentration (mg/kg)
ethylbenzene	1.00E-01	1.00E+00	methylene bromide	1.00E-01	1.00E+00
fluoranthene	1.00E-01	1.00E+00	methylene chloride	1.00E-01	1.00E+00
fluorene	1.00E-01	1.00E+00	methyl-tert-butyl ether	1.00E-01	1.00E+00
gamma-bhc	5.00E-02	1.00E+00	molybdenum	1.00E-02	1.00E+00
heptachlor	5.00E-02	1.00E+00	n-butylbenzyl phthalate	1.00E-01	1.00E+00
heptachlor epoxide	5.00E-02	1.00E+00	nickel	1.00E-02	1.00E+00
hexachlorobenzene	1.00E-01	1.00E+00	nitroaniline, o-	1.00E-01	1.00E+00
hexachlorobutadiene	1.00E-01	1.00E+00	nitrobenzene	1.00E-01	1.00E+00
hexachlorocyclopentadiene	1.00E-01	1.00E+00	nitrosodiphenylamine, p-	1.00E-01	1.00E+00
hexachloroethane	1.00E-01	1.00E+00	n-nitrosodimethylamine	1.00E-01	1.00E+00
indeno(1,2,3-cd)pyrene	1.00E-01	1.00E+00	n-nitroso-di-n-propylamine	1.00E-01	1.00E+00
isobutyl alcohol	1.00E-01	1.00E+00	n-nitrosodiphenylamine	1.00E-01	1.00E+00
isophorone	1.00E-01	1.00E+00	o-chlorotoluene	1.00E-01	1.00E+00
mercury	1.00E-02	1.00E+00	p-chloro-m-cresol	1.00E-01	1.00E+00
methoxychlor	1.00E-01	1.00E+00			
methyl methacrylate	1.00E-01	1.00E+00			

Table B (cont.)
Summary of Unit Risk Characterization
Construction Worker
Via Dermal Contact with Soils

Compound	Non-Carcinogenic Calculation			Carcinogenic Calculation		
	CDI (mg/kg-d)	RfD (mg/kg-d)	UH (unitless)	CDI (mg/kg-d)	CSF (mg/kg-d) ⁻¹	UR (unitless)
ethylbenzene	4.53E-07	NA	NA	5.32E-10	NA	NA
fluoranthene	4.53E-07	3.60E-01	1.26E-06	5.32E-10	NA	NA
fluorene	4.53E-07	3.60E-01	1.26E-06	5.32E-10	NA	NA
gamma-bhc	2.26E-07	2.94E-03	7.70E-05	2.66E-10	1.12E+00	2.98E-10
heptachlor	2.26E-07	2.00E-04	1.13E-03	2.66E-10	1.43E+01	3.79E-09
heptachlor epoxide	2.26E-07	1.17E-05	1.94E-02	2.66E-10	1.44E+01	3.84E-09
hexachlorobenzene	4.53E-07	NA	NA	5.32E-10	2.00E+00	1.06E-09
hexachlorobutadiene	4.53E-07	NA	NA	5.32E-10	8.67E-02	4.61E-11
hexachlorocyclopentadiene	4.53E-07	6.30E-02	7.19E-06	5.32E-10	NA	NA
hexachloroethane	4.53E-07	9.00E-03	5.03E-05	5.32E-10	4.33E-02	2.30E-11
indeno(1,2,3-cd)pyrene	4.53E-07	NA	NA	5.32E-10	1.33E+00	7.09E-10
isobutyl alcohol	4.53E-07	2.70E+00	1.68E-07	5.32E-10	NA	NA
isophorone	4.53E-07	1.80E+00	2.52E-07	5.32E-10	1.06E-03	5.61E-13
mercury	4.53E-08	4.50E-05	1.01E-03	5.32E-11	NA	NA
methoxychlor	4.53E-07	4.50E-03	1.01E-04	5.32E-10	NA	NA
methyl methacrylate	4.53E-07	7.20E-02	6.29E-06	5.32E-10	NA	NA
methylene bromide	4.53E-07	9.00E-02	5.03E-06	5.32E-10	NA	NA
methylene chloride	4.53E-07	6.00E-02	7.55E-06	5.32E-10	1.40E-02	7.45E-12
methyl-tert-butyl ether	4.53E-07	NA	NA	5.32E-10	NA	NA
molybdenum	4.53E-08	1.52E-02	2.98E-06	5.32E-11	NA	NA
n-butylbenzyl phthalate	4.53E-07	1.80E-01	2.52E-06	5.32E-10	NA	NA
nickel	4.53E-08	1.00E-03	4.53E-05	5.32E-11	NA	NA
nitroamine, o-	4.53E-07	NA	NA	5.32E-10	NA	NA
nitrobenzene	4.53E-07	4.50E-03	1.01E-04	5.32E-10	NA	NA
nitrosodiphenylamine, p-	4.53E-07	NA	NA	5.32E-10	2.44E-02	1.30E-11
n-nitrosodimethylamine	4.53E-07	NA	NA	5.32E-10	1.78E+01	9.45E-09
n-nitroso-di-n-propylamine	4.53E-07	NA	NA	5.32E-10	7.78E+00	4.14E-09
n-nitrosodiphenylamine	4.53E-07	NA	NA	5.32E-10	1.00E-02	5.32E-12
o-chlorotoluene	4.53E-07	1.80E-01	2.52E-06	5.32E-10	NA	NA
p-chloro-m-cresol	4.53E-07	1.80E+00	2.52E-07	5.32E-10	NA	NA

Table C
Summary of Unit Risk Characterization
Construction Worker
Via Inhalation of Particulates and Volatiles

Intake Equation =
$$\frac{CS \times (1/VF + 1/PEF) \times EF \times ED \times ET \times IR}{BW \times AT}$$

IR Inhalation rate of gases (RAGS, 1989) 2.5E+00 m³/h
 EF Exposure frequency 2.0E+01 days/year
 EDn Exposure duration for non-carcinogens 8.2E-02 year
 EDc Exposure duration for carcinogens 8.2E-02 year
 BW Body weight 7.0E+01 kg
 ATc Average time for carcinogens (lifetime) 2.6E+04 days
 ATn Average time for non-carcinogens (EDn x 365) 3.0E+01 days
 ET Exposure time 1.0E+00 h/d
 CS Concentration of chemicals in soil (see table below)
 VF Volatilization Factor (see table below)
 PEF Particulate Emission Factor (see table below)

Chemical Concentrations

Compound	VF (m ³ /kg)	PEF (m ³ /kg)	CS (mg/kg)	Compound	VF (m ³ /kg)	PEF (m ³ /kg)	CS (mg/kg)
ethylbenzene	1.1E+05	4.8E+09	1.0E+00	methylene bromide	1.2E+05	4.8E+09	1.0E+00
fluoranthene	6.1E+07	4.8E+09	1.0E+00	methylene chloride	3.8E+04	4.8E+09	1.0E+00
fluorene	4.1E+06	4.8E+09	1.0E+00	methyl-tert-butyl ether	8.8E+04	4.8E+09	1.0E+00
gamma-bhc	1.0E+07	4.8E+09	1.0E+00	molybdenum	NA	4.8E+09	1.0E+00
heptachlor	1.9E+06	4.8E+09	1.0E+00	n-butylbenzyl phthalate	1.3E+07	4.8E+09	1.0E+00
heptachlor epoxide	2.5E+06	4.8E+09	1.0E+00	nickel	NA	4.8E+09	1.0E+00
hexachlorobenzene	1.3E+06	4.8E+09	1.0E+00	nitroaniline, o-	1.4E+07	4.8E+09	1.0E+00
hexachlorobutadiene	1.4E+06	4.8E+09	1.0E+00	nitrobenzene	1.2E+06	4.8E+09	1.0E+00
hexachlorocyclopentadiene	4.9E+05	4.8E+09	1.0E+00	nitrosodiphenylamine, p-	8.9E+06	4.8E+09	1.0E+00
hexachloroethane	1.8E+06	4.8E+09	1.0E+00	n-nitrosodimethylamine	5.5E+03	4.8E+09	1.0E+00
indeno(1,2,3-cd)pyrene	4.1E+09	4.8E+09	1.0E+00	n-nitroso-di-n-propylamine	1.0E+06	4.8E+09	1.0E+00
isobutyl alcohol	2.0E+05	4.8E+09	1.0E+00	n-nitrosodiphenylamine	1.2E+08	4.8E+09	1.0E+00
isophorone	3.1E+06	4.8E+09	1.0E+00	o-chlorotoluene	1.6E+05	4.8E+09	1.0E+00
mercury	NA	4.8E+09	1.0E+00	p-chloro-m-cresol	6.2E+06	4.8E+09	1.0E+00
methoxychlor	3.8E+07	4.8E+09	1.0E+00				
methyl methacrylate	5.7E+04	4.8E+09	1.0E+00				

Table C (cont.)
Summary of Unit Risk Characterization
Construction Worker
Via Inhalation of Particulates and Volatiles

Compound	Non-Carcinogenic Calculation			Carcinogenic Calculation		
	CDI (mg/kg-d)	RfD (mg/kg-d)	UH (unitless)	CDI (mg/kg-d)	CSF (mg/kg-d) ⁻¹	UR (unitless)
ethylbenzene	1.8E-08	NA	NA	2.1E-11	NA	NA
fluoranthene	3.3E-11	4.0E-01	8.1E-11	3.8E-14	NA	NA
fluorene	4.7E-10	4.0E-01	1.2E-09	5.6E-13	NA	NA
gamma-bhc	1.9E-10	3.0E-03	6.5E-08	2.3E-13	1.1E+00	2.5E-13
heptachlor	1.0E-09	5.0E-04	2.1E-06	1.2E-12	5.7E+00	7.0E-12
heptachlor epoxide	7.9E-10	1.3E-05	6.1E-05	9.3E-13	1.3E+01	1.2E-11
hexachlorobenzene	1.5E-09	NA	NA	1.7E-12	1.8E+00	3.1E-12
hexachlorobutadiene	1.4E-09	NA	NA	1.6E-12	7.8E-02	1.3E-13
hexachlorocyclopentadiene	4.0E-09	2.0E-04	2.0E-05	4.7E-12	NA	NA
hexachloroethane	1.1E-09	1.0E-02	1.1E-07	1.3E-12	3.9E-02	5.0E-14
indeno(1,2,3-cd)pyrene	8.9E-13	NA	NA	1.0E-15	3.9E-01	4.1E-16
isobutyl alcohol	9.6E-09	3.0E+00	3.2E-09	1.1E-11	NA	NA
isophorone	6.3E-10	2.0E+00	3.1E-10	1.1E-11	NA	NA
mercury	4.1E-13	8.6E-05	4.8E-09	7.4E-13	9.5E-04	7.0E-16
methoxychlor	5.2E-11	5.0E-03	1.0E-08	4.8E-16	NA	NA
methyl methacrylate	3.4E-08	8.0E-02	4.3E-07	6.1E-14	NA	NA
methylene bromide	1.7E-08	1.0E-01	1.7E-07	4.0E-11	NA	NA
methylene chloride	5.2E-08	8.6E-01	6.1E-08	2.0E-11	NA	NA
methyl-tert-butyl ether	2.2E-08	NA	NA	6.1E-11	3.5E-03	2.1E-13
molybdenum	4.1E-13	4.0E-02	1.0E-11	2.6E-11	NA	NA
n-butylbenzyl phthalate	1.6E-10	2.0E-01	7.8E-10	4.8E-16	NA	NA
nickel	4.1E-13	2.0E-02	2.0E-11	1.8E-13	NA	NA
nitroamine, o-	1.4E-10	5.7E-04	2.4E-07	4.8E-16	9.1E-01	4.4E-16
nitrobenzene	1.6E-09	5.7E-03	2.8E-07	1.6E-13	NA	NA
nitrosodiphenylamine, p-	2.2E-10	NA	NA	1.9E-12	NA	NA
n-nitrosodimethylamine	3.6E-07	NA	NA	2.6E-13	2.2E-02	5.7E-15
n-nitroso-di-n-propylamine	1.9E-09	NA	NA	4.2E-10	1.6E+01	6.7E-09
n-nitrosodiphenylamine	1.6E-11	NA	NA	2.2E-12	7.0E+00	1.5E-11
o-chlorotoluene	1.2E-08	2.0E-01	6.1E-08	1.9E-14	9.0E-03	1.7E-16
p-chloro-m-cresol	3.2E-10	2.0E+00	1.6E-10	1.4E-11	NA	NA
				3.7E-13	NA	NA

Table D
Summary of Unit Risk Calculations
Construction Worker

Chemicals of Concern	Unit Hazard Quotient			Unit Incremental Lifetime Cancer Risk				
	Inhalation (unitless)	Dermal (unitless)	Ingestion (unitless)	Total (unitless)	Inhalation (unitless)	Dermal (unitless)	Ingestion (unitless)	Total (unitless)
ethylbenzene	NA	NA	NA	NA	NA	NA	NA	NA
fluoranthene	8.13E-11	1.26E-06	9.37E-07	2.20E-06	NA	NA	NA	NA
fluorene	1.18E-09	1.26E-06	9.37E-07	2.20E-06	NA	NA	NA	NA
gamma-bhc	6.49E-08	7.70E-05	1.25E-04	2.02E-04	2.52E-13	2.98E-10	4.84E-10	7.83E-10
heptachlor	2.08E-06	1.13E-03	7.50E-04	1.88E-03	6.95E-12	3.79E-09	2.51E-09	6.31E-09
heptachlor epoxide	6.08E-05	1.94E-02	2.88E-02	4.83E-02	1.21E-11	3.84E-09	5.72E-09	9.58E-09
hexachlorobenzene	NA	NA	NA	NA	3.11E-12	1.06E-09	7.92E-10	1.86E-09
hexachlorobutadiene	NA	NA	NA	NA	1.28E-13	4.61E-11	3.43E-11	8.06E-11
hexachlorocyclopentadiene	2.00E-05	7.19E-06	5.36E-06	3.25E-05	NA	NA	NA	NA
hexachloroethane	1.08E-07	5.03E-05	3.75E-05	8.79E-05	4.97E-14	2.30E-11	1.72E-11	4.03E-11
indeno(1,2,3-cd)pyrene	NA	NA	NA	NA	4.06E-16	7.09E-10	5.28E-10	1.24E-09
isobutyl alcohol	3.20E-09	1.68E-07	1.25E-07	2.96E-07	NA	NA	NA	NA
isophorone	3.14E-10	2.52E-07	1.87E-07	4.39E-07	7.01E-16	5.61E-13	4.18E-13	9.80E-13
mercury	4.77E-09	1.01E-03	1.25E-03	2.26E-03	NA	NA	NA	NA
methoxychlor	1.04E-08	1.01E-04	7.50E-05	1.76E-04	NA	NA	NA	NA
methyl methacrylate	4.26E-07	6.29E-06	4.69E-06	1.14E-05	NA	NA	NA	NA
methylene bromide	1.69E-07	5.03E-06	3.75E-06	8.95E-06	NA	NA	NA	NA
methylene chloride	6.05E-08	7.55E-06	6.25E-06	1.39E-05	2.13E-13	7.45E-12	6.16E-12	1.38E-11
methyl-tert-butyl ether	NA	NA	NA	NA	NA	NA	NA	NA
molybdenum	1.02E-11	2.98E-06	9.37E-06	1.24E-05	NA	NA	NA	NA
n-butylbenzyl phthalate	7.76E-10	2.52E-06	1.87E-06	4.39E-06	NA	NA	NA	NA
nickel	2.04E-11	4.53E-05	1.87E-05	6.40E-05	4.37E-16	NA	NA	4.37E-16
nitroamine, o-	2.37E-07	NA	NA	2.37E-07	NA	NA	NA	NA
nitrobenzene	2.77E-07	1.01E-04	7.50E-05	1.76E-04	NA	NA	NA	NA
nitrosodiphenylamine, p-	NA	NA	NA	NA	5.69E-15	1.30E-11	9.68E-12	2.27E-11
n-nitrosodimethylamine	NA	NA	NA	NA	6.70E-09	9.45E-09	7.04E-09	2.32E-08
n-nitroso-di-n-propylamine	NA	NA	NA	NA	1.54E-11	4.14E-09	3.08E-09	7.23E-09
n-nitrosodiphenylamine	NA	NA	NA	NA	1.73E-16	5.32E-12	3.96E-12	9.28E-12
o-chlorotoluene	6.11E-08	2.52E-06	1.87E-06	4.45E-06	NA	NA	NA	NA
p-chloro-m-cresol	1.59E-10	2.52E-07	1.87E-07	4.39E-07	NA	NA	NA	NA

Table E
Summary of Health-Based Soil Concentrations
Via Construction Worker Scenario

Chemicals of Concern	Hazard Quotient			Incremental Lifetime Cancer Risk		
	Total Unit HQ (unitless)	Soil (mg/kg) Scaled Soil Concentration HQ=0.2	Risk based Concentration HQ=0.2	Total Unit ILCR (unitless)	Soil (mg/kg) Scaled Soil Concentration ILCR=1E-06	Risk based Concentration ILCR=1E-06
ethylbenzene	NA	NA	NA	NA	NA	NA
fluoranthene	2.20E-06	9.11E+04	9.11E+04	NA	NA	NA
fluorene	2.20E-06	9.11E+04	9.11E+04	NA	NA	NA
gamma-bhc	2.02E-04	9.90E+02	9.90E+02	7.83E-10	1.28E+03	1.28E+03
heptachlor	1.88E-03	1.06E+02	1.06E+02	6.31E-09	1.59E+02	1.59E+02
heptachlor epoxide	4.83E-02	4.14E+00	4.14E+00	9.58E-09	1.04E+02	1.04E+02
hexachlorobenzene	NA	NA	NA	1.86E-09	5.38E+02	5.38E+02
hexachlorobutadiene	NA	NA	NA	8.06E-11	1.24E+04	1.24E+04
hexachlorocyclopentadiene	3.25E-05	6.15E+03	6.15E+03	NA	NA	NA
hexachloroethane	8.79E-05	2.27E+03	2.27E+03	4.03E-11	2.48E+04	2.48E+04
indeno(1,2,3-cd)pyrene	NA	NA	NA	1.24E-09	8.08E+02	8.08E+02
isobutyl alcohol	2.96E-07	6.76E+05	6.76E+05	NA	NA	NA
isophorone	4.39E-07	4.55E+05	4.55E+05	9.80E-13	1.02E+06	1.02E+06
mercury	2.26E-03	8.86E+01	8.86E+01	NA	NA	NA
methoxychlor	1.76E-04	1.14E+03	1.14E+03	NA	NA	NA
methyl methacrylate	1.14E-05	1.75E+04	1.75E+04	NA	NA	NA
methylene bromide	8.95E-06	2.23E+04	2.23E+04	NA	NA	NA
methylene chloride	1.39E-05	1.44E+04	1.44E+04	1.38E-11	7.24E+04	7.24E+04
methyl-tert-butyl ether	NA	NA	NA	NA	NA	NA
molybdenum	1.24E-05	1.62E+04	1.62E+04	NA	NA	NA
n-butylbenzyl phthalate	4.39E-06	4.55E+04	4.55E+04	NA	NA	NA
nickel	6.40E-05	3.12E+03	3.12E+03	NA	NA	NA
nickel	2.37E-07	8.43E+05	8.43E+05	4.37E-16	2.29E+09	2.29E+09
nitroaniline, o-	1.76E-04	1.14E+03	1.14E+03	NA	NA	NA
nitrobenzene	NA	NA	NA	NA	NA	NA
nitrosodiphenylamine, p-	NA	NA	NA	2.27E-11	4.41E+04	4.41E+04
n-nitrosodimethylamine	NA	NA	NA	2.32E-08	4.31E+01	4.31E+01
n-nitroso-di-n-propylamine	NA	NA	NA	7.23E-09	1.38E+02	1.38E+02
n-nitrosodiphenylamine	NA	NA	NA	9.28E-12	1.08E+05	1.08E+05
o-chlorotoluene	4.45E-06	4.49E+04	4.49E+04	NA	NA	NA
p-chloro-m-cresol	4.39E-07	4.55E+05	4.55E+05	NA	NA	NA

Table A
Summary of Unit Risk Characterization
Construction Worker
Via Incidental Ingestion of Soils

$$CS \times EF \times ED \times CF \times IR = BW \times AT$$

IRs	Ingestion rate of soil (RAGS, 1989)	480 mg/day
CF	Conversion factor	1.0E-06 kg/mg
EF	Exposure frequency	20 d/year
EDn	Exposure duration for non-carcinogens	0.082 year
EDc	Exposure duration for carcinogens	0.082 year
BW	Body weight	70 kg
ATc	Average time for carcinogens (lifetime)	25550 day
ATn	Average time for non-carcinogens (EDn x 365)	30 day
CS	Concentration of chemicals in soil	(see table below)

Chemical Concentrations

Compound	Concentration	Compound	Concentration
pentachlorophenol	1.0E+00	zinc	1.0E+00
phenol	1.0E+00		
pyrene	1.0E+00		
selenium	1.0E+00		
silver	1.0E+00		
styrene	1.0E+00		
tetrachloroethene	1.0E+00		
toluene	1.0E+00		
toxaphene	1.0E+00		
trans-1,2-dichloroethene	1.0E+00		
trichloroethene	1.0E+00		
trichlorofluoromethane	1.0E+00		
vanadium	1.0E+00		
vinyl acetate	1.0E+00		
vinyl chloride	1.0E+00		
xylenes	1.0E+00		

Table B
Summary of Unit Risk Characterization
Construction Worker
Via Dermal Contact with Soils

CS.X.CE.X.EF.X.ED.X.AF.X.ABS.X.SA
 BW.X.AT

Intake Equation =

SA Surface area of exposed skin (50th percentile, hands only) 5800 cm²/day
 AF Adherence Factor 1 mg/cm²
 ABS Absorption factor (see table below) csv
 CF Conversion factor 1.0E-06 kg/mg
 EF Exposure frequency 20 d/year
 EDn Exposure duration for non-carcinogens 0 year
 EDc Exposure duration for carcinogens 0 year
 BW Body weight 70 kg
 ATc Average time for carcinogens (lifetime) 25550 day
 ATn Average time for non-carcinogens (EDn x 365) 30 day
 CS Concentration of chemicals in soil (see table below) csv

Chemical Concentrations

Compound	ABS (unitless)	Concentration (mg/kg)	Compound	ABS (unitless)	Concentration (mg/kg)
pentachlorophenol	2.50E-01	1.00E+00	zinc	1.00E-02	1.00E+00
phenol	1.00E-01	1.00E+00	NA	NA	NA
pyrene	1.50E-01	1.00E+00	NA	NA	NA
selenium	1.00E-02	1.00E+00	NA	NA	NA
silver	1.00E-02	1.00E+00	NA	NA	NA
styrene	1.00E-01	1.00E+00	NA	NA	NA
tetrachloroethene	1.00E-01	1.00E+00	NA	NA	NA
toluene	1.00E-01	1.00E+00	NA	NA	NA
toxaphene	1.00E-01	1.00E+00	NA	NA	NA
trans-1,2-dichloroethene	1.00E-01	1.00E+00	NA	NA	NA
trichloroethene	1.00E-01	1.00E+00	NA	NA	NA
trichlorofluoromethane	1.00E-01	1.00E+00	NA	NA	NA
vanadium	1.00E-02	1.00E+00	NA	NA	NA
vinyl acetate	1.00E-01	1.00E+00	NA	NA	NA
vinyl chloride	1.00E-01	1.00E+00	NA	NA	NA
xylenes	1.00E-01	1.00E+00	NA	NA	NA

Table C
Summary of Unit Risk Characterization
Construction Worker
Via Inhalation of Particulates and Volatiles

$$\text{Intake Equation} = \frac{\text{CS} \times (\text{I}/\text{VF} \pm \text{I}/\text{PEF}) \times \text{EF} \times \text{ED} \times \text{ET} \times \text{IR}}{\text{BW} \times \text{AT}}$$

IR	Inhalation rate of gases (RAGS, 1989)	2.5E+00 m/h
EF	Exposure frequency	2.0E+01 days/year
EDn	Exposure duration for non-carcinogens	8.2E-02 year
EDc	Exposure duration for carcinogens	8.2E-02 year
BW	Body weight	7.0E+01 kg
ATc	Average time for carcinogens (lifetime)	2.6E+04 days
ATn	Average time for non-carcinogens (EDn x 365)	3.0E+01 days
ET	Exposure time	1.0E+00 h/d
CS	Concentration of chemicals in soil	(see table below)
Vf	Volatilization Factor	(see table below)
PEF	Particulate Emission Factor	(see table below)

Chemical Concentrations

Compound	VF (m3/kg)	PEF (m3/kg)	CS (mg/kg)	Compound	VF (m3/kg)	PEF (m3/kg)	CS (mg/kg)
pentachlorophenol	1.4E+07	4.8E+09	1.0E+00	zinc	NA	4.8E+09	1.0E+00
phenol	5.1E+06	4.8E+09	1.0E+00	NA	NA	NA	NA
pyrene	8.2E+07	4.8E+09	1.0E+00	NA	NA	NA	NA
selenium	NA	4.8E+09	1.0E+00	NA	NA	NA	NA
silver	NA	4.8E+09	1.0E+00	NA	NA	NA	NA
styrene	3.6E+05	4.8E+09	1.0E+00	NA	NA	NA	NA
tetrachloroethene	2.3E+05	4.8E+09	1.0E+00	NA	NA	NA	NA
toluene	1.0E+05	4.8E+09	1.0E+00	NA	NA	NA	NA
toxaphene	6.2E+06	4.8E+09	1.0E+00	NA	NA	NA	NA
trans-1,2-dichloroethene	5.9E+04	4.8E+09	1.0E+00	NA	NA	NA	NA
trichloroethene	6.9E+04	4.8E+09	1.0E+00	NA	NA	NA	NA
trichlorofluoromethane	3.3E+04	4.8E+09	1.0E+00	NA	NA	NA	NA
vanadium	NA	4.8E+09	1.0E+00	NA	NA	NA	NA
vinyl acetate	1.4E+05	4.8E+09	1.0E+00	NA	NA	NA	NA
vinyl chloride	1.5E+03	4.8E+09	1.0E+00	NA	NA	NA	NA
xylens	2.5E+05	4.8E+09	1.0E+00	NA	NA	NA	NA

Application for
Facility Permit / Waste Discharge
Supplemental Documentation
Boeing Realty Corporation
C-6 Facility

Attachment 2

Waste Profile Sheets

Analytical Data Summary
Remedial Excavation OA1-RE-1 Stockpile A

		Sample Number and Collection Date	
		OA1-RE1-SP1 7/15/97	
Analyte	EPA Method		
TRPH (mg/kg)	418.1	2,100	
		Regulatory Levels	
		TTLC (mg/kg)	STLC (mg/L)
Title 22 Metals (mg/kg)			
Antimony	6010	<5.0	500
Arsenic	6010	<1.0	500
Barium	6010	100	10,000
Beryllium	6010	<0.1	75
Cadmium	6010	<0.1	100
Chromium (VI)	7196	<0.5	500
Chromium (total)	6010	80 (2)(3)	2,500
Cobalt	6010	7.4	8,000
Copper	6010	12	2,500
Lead (total)	6010	190 (4)(5)	1,000
Mercury	7471	<0.01	20
Molybdenum	6010	<0.5	3,500
Nickel	6010	11	2,000
Selenium	6010	<1.0	100
Silver	6010	<0.1	500
Thallium	6010	<5.0	700
Vanadium	6010	33	2,400
Zinc	6010	44	5,000
VOCs (1) (mg/kg)			
1,3,5-Trimethylbenzene	8260	0.130	
1,2,4-Trimethylbenzene	8260	0.160	
n-Butylbenzene	8260	0.031	
Naphthalene	8260	0.100	
SVOCs (1) (mg/kg)			
Acenaphthene	8270	2.900	
Anthracene	8270	1.700	
Benzo (a) Anthracene	8270	72.000	
Benzo (b) Fluoranthene	8270	76.000	
Benzo (k) Fluoranthene	8270	33.000	
Benzo (a) Pyrene	8270	40.000	
Benzo (g,h,i) Perylene	8270	28.000	
Chrysene	8270	200.000	
Dibenz (a,h) Anthracene	8270	9.700	
Fluoranthene	8270	180.000	
Fluorene	8270	11.000	
Indeno (1,2,3-cd)Pyrene	8270	19.000	
2-Methylnaphthalene	8270	85.000	
Naphthalene	8270	18.000	
Phenanthrene	8270	95.000	
Pyrene	8270	220.000	
Carbon Chain Range (mg/kg)	8015m	--	
PCBs (mg/kg)	8080	--	

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTLC = Total Threshold Limit Concentration

STLC = Soluble Threshold Limit Concentration

(1) VOCs and SVOCs not listed were not detected

(2) Waste Extraction Test performed on this sample. Result was 0.27 mg/L.

(3) TCLP analysis performed on this sample. Result was <0.1 mg/L.

(4) Waste Extraction Test performed on this sample. Result was <1.0 mg/L.

(5) TCLP analysis performed on this sample. Result was <1.0 mg/L.

Analytical Data Summary
Remedial Excavation OA1-RE-1 Stockpile B

Analyte	EPA Method	Sample Number and Collection Date		
		OA1-RE1-SP2 7/15/97		
TRPH (mg/kg)	418.1	1,000	Regulatory Levels	
			TTL	STLC
Title 22 Metals (mg/kg)			(mg/kg)	(mg/L)
Antimony	6010	<5.0	500	15
Arsenic	6010	<1.0	500	5
Barium	6010	110	10,000	100
Beryllium	6010	<0.1	75	0.75
Cadmium	6010	<0.1	100	1
Chromium (VI)	7196	<0.5	500	5
Chromium (total)	6010	87 (2)(3)	2,500	5
Cobalt	6010	7.3	8,000	80
Copper	6010	14	2,500	25
Lead (total)	6010	220 (4)(5)	1,000	5
Mercury	7471	<0.01	20	0.2
Molybdenum	6010	<0.5	3,500	350
Nickel	6010	12	2,000	20
Selenium	6010	<1.0	100	1
Silver	6010	<0.1	500	5
Thallium	6010	<5.0	700	7
Vanadium	6010	34	2,400	24
Zinc	6010	60	5,000	250
VOCs (1) (mg/kg)				
1,3,5-Trimethylbenzene	8260	0.044		
1,2,4-Trimethylbenzene	8260	0.110		
n-Butylbenzene	8260	0.040		
Naphthalene	8260	1.000		
SVOCs (1) (mg/kg)				
Acenaphthene	8270	0.620		
Anthracene	8270	1.800		
Benzo (a) Anthracene	8270	5.100		
Benzo (b) Fluoranthene	8270	6.200		
Benzo (k) Fluoranthene	8270	2.200		
Benzo (a) Pyrene	8270	3.700		
Benzo (g,h,i) Perylene	8270	3.000		
Chrysene	8270	9.900		
Dibenz (a,h) Anthracene	8270	1.000		
Fluoranthene	8270	9.900		
Fluorene	8270	1.700		
Indeno (1,2,3-cd)Pyrene	8270	1.900		
2-Methylnaphthalene	8270	8.600		
Naphthalene	8270	1.000		
Phenanthrene	8270	12.000		
Pyrene	8270	20.000		
Carbon Chain Range (mg/kg)	8015m	--		
PCBs (mg/kg)	8080	--		

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTL = Total Threshold Limit Concentration

STLC = Soluble Threshold Limit Concentration

(1) VOCs and SVOCs not listed were not detected

(2) Waste Extraction Test performed on this sample. Result was 1.8 mg/L.

(3) TCLP analysis performed on this sample. Result was 0.13 mg/L.

(4) Waste Extraction Test performed on this sample. Result was 4.5 mg/L.

(5) TCLP analysis performed on this sample. Result was <1.0 mg/L.

Analytical Data Summary
Remedial Excavation OA1-RE-1 Stockpile G

		Sample Number and Collection Date	
		OA1-RE1-SP7	
		7/15/97	
Analyte	EPA Method		
TRPH (mg/kg)	418.1	3,100	
			Regulatory Levels
			TTLC
			(mg/kg)
			STLC
			(mg/L)
Title 22 Metals (mg/kg)			
Antimony	6010	<5.0	
Arsenic	6010	<1.0	
Barium	6010	110	
Beryllium	6010	<0.1	
Cadmium	6010	<0.1	
Chromium (VI)	7196	<0.5	
Chromium (total)	6010	110 (2)(3)	
Cobalt	6010	7.0	
Copper	6010	20	
Lead (total)	6010	14	
Mercury	7471	<0.01	
Molybdenum	6010	<0.5	
Nickel	6010	13	
Selenium	6010	<1.0	
Silver	6010	<0.1	
Thallium	6010	<5.0	
Vanadium	6010	36	
Zinc	6010	65	
VOCs (1) (mg/kg)			
Ethylbenzene	8260	1.700	
Total Xylenes	8260	13.000	
n-Propylbenzene	8260	0.920	
1,3,5-Trimethylbenzene	8260	9.600	
1,2,4-Trimethylbenzene	8260	23.000	
n-Butylbenzene	8260	1.100	
Naphthalene	8260	64.000	
SVOCs (1) (mg/kg)			
Acenaphthene	8270	3.500	
Anthracene	8270	7.500	
Benzo (a) Anthracene	8270	14.000	
Benzo (b) Fluoranthene	8270	12.000	
Benzo (g,h,i) Perylene	8270	10.000	
Chrysene	8270	31.000	
Fluoranthene	8270	18.000	
Fluorene	8270	10.000	
2-Methylnaphthalene	8270	160.000	
Naphthalene	8270	41.000	
Phenanthrene	8270	59.000	
Pyrene	8270	55.000	
Carbon Chain Range (mg/kg)	8015m	--	
PCBs (mg/kg)	8080	--	

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTLC = Total Threshold Limit Concentration

STLC = Soluble Threshold Limit Concentration

(1) VOCs and SVOCs not listed were not detected

(2) Waste Extraction Test performed on this sample. Result was 0.56 mg/L.

(3) TCLP analysis performed on this sample. Result was <0.1 mg/L.

Analytical Data Summary
Remedial Excavation OA1-RE-1 Stockpile I

Analyte	EPA Method	Sample Number and Collection Date		Regulatory Levels	
		OA1-RE1-SP9 7/16/97		TTLC (mg/kg)	STLC (mg/L)
TRPH (mg/kg)	418.1	700			
Title 22 Metals (mg/kg)					
Antimony	6010	<5.0		500	15
Arsenic	6010	<1.0		500	5
Barium	6010	110		10,000	100
Beryllium	6010	<0.1		75	0.75
Cadmium	6010	<0.1		100	1
Chromium (VI)	7196	<0.5		500	5
Chromium (total)	6010	31		2,500	5
Cobalt	6010	8.3		8,000	80
Copper	6010	12		2,500	25
Lead (total)	6010	<1.0		1,000	5
Mercury	7471	<0.01		20	0.2
Molybdenum	6010	<0.5		3,500	350
Nickel	6010	13		2,000	20
Selenium	6010	<1.0		100	1
Silver	6010	<0.1		500	5
Thallium	6010	<5.0		700	7
Vanadium	6010	36		2,400	24
Zinc	6010	45		5,000	250
VOCs (1) (mg/kg)					
n-Propylbenzene	8260	0.063			
1,2,4-Trimethylbenzene	8260	0.110			
n-Butylbenzene	8260	0.110			
Naphthalene	8260	4.300			
SVOCs (1) (mg/kg)					
Acenaphthene	8270	0.890			
Anthracene	8270	1.900			
Benzo (a) Anthracene	8270	2.800			
Benzo (b) Fluoranthene	8270	2.100			
Benzo (k) Fluoranthene	8270	0.790			
Benzo (a) Pyrene	8270	2.800			
Benzo (g,h,i) Perylene	8270	2.000			
Chrysene	8270	3.700			
Fluoranthene	8270	2.500			
Fluorene	8270	1.600			
Indeno (1,2,3-cd)Pyrene	8270	0.980			
2-Methylnaphthalene	8270	31.000			
Naphthalene	8270	6.800			
Phenanthrene	8270	14.000			
Pyrene	8270	13.000			
Carbon Chain Range (mg/kg)	8015m	--			
PCBs (mg/kg)	8080	--			

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTLC = Total Threshold Limit Concentration

STLC = Soluble Threshold Limit Concentration

(1) VOCs and SVOCs not listed were not detected

Analytical Data Summary
Remedial Excavation OA1-RE-1 Stockpile J

Analyte	EPA Method	Sample Number and Collection Date		Regulatory Levels	
		OA1-RE1-SP10 7/16/97	PL-GS-1-2.5' 6/3/97	TTLIC (mg/kg)	STLC (mg/L)
TRPH (mg/kg)	418.1	13,000	16,000		
TPHd (mg/kg)	8015M	--	38,000		
TPHg (mg/kg)	8015M	--	100		
Title 22 Metals (mg/kg)					
Antimony	6010	<5.0	<5.0	500	15
Arsenic	6010	<1.0	<1.0	500	5
Barium	6010	95	96	10,000	100
Beryllium	6010	<0.1	<0.1	75	0.75
Cadmium	6010	<0.1	1.4	100	1
Chromium (VI)	7196	<0.5	<0.5	500	5
Chromium (total)	6010	38	250 (2)	2,500	5
Cobalt	6010	6.6	6.0	8,000	80
Copper	6010	11	28	2,500	25
Lead (total)	6010	21	290 (3)	1,000	5
Mercury	7471	<0.01	<0.01	20	0.2
Molybdenum	6010	<0.5	<0.5	3,500	350
Nickel	6010	11	15	2,000	20
Selenium	6010	<1.0	<1.0	100	1
Silver	6010	<0.1	<0.1	500	5
Thallium	6010	<5.0	<5.0	700	7
Vanadium	6010	28	28	2,400	24
Zinc	6010	41	94	5,000	250
VOCs (1) (mg/kg)					
Ethylbenzene	8260	<0.0025	0.270		
Total Xylenes	8260	<0.0025	0.140		
Isopropylbenzene	8260	<0.0025	0.100		
n-Propylbenzene	8260	<0.0025	0.190		
1,3,5-Trimethylbenzene	8260	0.110	0.210		
1,2,4-Trimethylbenzene	8260	<0.0025	0.350		
sec-Butylbenzene	8260	<0.0025	0.130		
Naphthalene	8260	0.860	1.300		
SVOCs (1) (mg/kg)					
Acenaphthene	8270	4.300	2.100		
Anthracene	8270	11.000	5.600		
Benzo (a) Anthracene	8270	26.000	15.000		
Benzo (b) Fluoranthene	8270	28.000	23.000		
Benzo (k) Fluoranthene	8270	12.000	7.200		
Benzo (a) Pyrene	8270	22.000	13.000		
Benzo (g,h,i) Perylene	8270	14.000	10.000		
Chrysene	8270	48.000	30.000		
Fluoranthene	8270	53.000	30.000		
Fluorene	8270	13.000	5.600		
Indeno (1,2,3-cd)Pyrene	8270	6.800	6.300		
2-Methylnaphthalene	8270	160.000	8.200		
Naphthalene	8270	41.000	1.400		
Phenanthrene	8270	80.000	36.000		
Pyrene	8270	120.000	72.000		
Carbon Chain Range (mg/kg)					
Up to and including C12	8015m	480	1,500		
C13-C22	8015m	7,600	31,000		
C23 and higher	8015m	2,100	7,900		
PCBs (mg/kg)	8080	ND	ND		

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTLIC = Total Threshold Limit Concentration

STLC = Soluble Threshold Limit Concentration

(1) VOCs and SVOCs not listed were not detected

(2) Waste Extraction Test performed on this sample. Result was 4.5 mg/L.

(3) Waste Extraction Test performed on this sample. Result was 1.8 mg/L.

TPHd = Total Petroleum Hydrocarbons as diesel

TPHg = Total Petroleum Hydrocarbons as gasoline

Analytical Data Summary
Remedial Excavation OA1-RE-2 Stockpile A1/A2

Analyte	EPA Method	Sample Number and Collection Date		Regulatory Levels	
		OA1-RE2-SP1A	OA1-RE2-SP1B		
		7/16/97	7/16/97		
TRPH (mg/kg)	418.1	8,300	83		
Title 22 Metals (mg/kg)				TTLC (mg/kg)	STLC (mg/L)
Antimony	6010	<5.0	<5.0	500	15
Arsenic	6010	<1.0	<1.0	500	5
Barium	6010	81	110	10,000	100
Beryllium	6010	<0.1	<0.1	75	0.75
Cadmium	6010	<0.1	<0.1	100	1
Chromium (VI)	7196	<0.5	<0.5	500	5
Chromium (total)	6010	43	29	2,500	5
Cobalt	6010	5.9	8.1	8,000	80
Copper	6010	9.6	11	2,500	25
Lead (total)	6010	4.2	5.0	1,000	5
Mercury	7471	<0.01	<0.01	20	0.2
Molybdenum	6010	<0.5	<0.5	3,500	350
Nickel	6010	8.6	14	2,000	20
Selenium	6010	<1.0	<1.0	100	1
Silver	6010	<0.1	<0.1	500	5
Thallium	6010	<5.0	<5.0	700	7
Vanadium	6010	25	27	2,400	24
Zinc	6010	29	48	5,000	250
VOCs (1) (mg/kg)					
Ethylbenzene	8260	2.500	<0.0025		
Total Xylenes	8260	4.200	<0.0025		
n-Propylbenzene	8260	1.600	<0.0025		
1,3,5-Trimethylbenzene	8260	0.580	<0.0025		
1,2,4-Trimethylbenzene	8260	36.000	<0.0025		
n-Butylbenzene	8260	2.700	<0.0025		
Naphthalene	8260	110.000	0.017		
SVOCs (1) (mg/kg)					
Acenaphthene	8270	6.200	<0.100		
Anthracene	8270	16.000	0.160		
Benzo (a) Anthracene	8270	43.000	0.790		
Benzo (b) Fluoranthene	8270	55.000	1.200		
Benzo (k) Fluoranthene	8270	19.000	<0.250		
Benzo (a) Pyrene	8270	40.000	0.570		
Benzo (g,h,i) Perylene	8270	26.000	0.420		
Chrysene	8270	64.000	2.100		
Dibenz (a,h) Anthracene	8270	6.200	<0.100		
Fluoranthene	8270	95.000	1.700		
Fluorene	8270	19.000	<0.100		
Indeno (1,2,3-cd)Pyrene	8270	15.000	0.300		
2-Methylnaphthalene	8270	300.000	0.430		
Naphthalene	8270	87.000	<0.100		
Phenanthrene	8270	130.000	0.970		
Pyrene	8270	200.000	2.200		
Carbon Chain Range (mg/kg)	8015m	--	--		
PCBs (mg/kg)	8080	--	--		

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTLC = Total Threshold Limit Concentration

STLC = Soluble Threshold Limit Concentration

(1) VOCs and SVOCs not listed were not detected

Analytical Data Summary
Remedial Excavation OA1-RE-9 Stockpile B

Analyte	EPA Method	Sample Number and Collection Date			Regulatory Levels	
		OA1-RE9-SP2 8/5/97	OA1-GS-6-3' 7/22/97	RR-GS-31-4' 6/4/97		
TRPH (mg/kg)	418.1	1,100	13	86		
Title 22 Metals (mg/kg)						
Antimony	6010	<5.0	<5.0	<5.0	500	15
Arsenic	6010	<1.0	<1.0	<1.0	500	5
Barium	6010	110	86	140	10,000	100
Beryllium	6010	<0.1	<0.1	<0.1	75	0.75
Cadmium	6010	<0.1	<0.1	<0.1	100	1
Chromium (VI)	7196	<0.5	<0.5	<0.5	500	5
Chromium (total)	6010	22	22	36	2,500	5
Cobalt	6010	9.0	6.4	8.4	8,000	80
Copper	6010	12	9.3	12	2,500	25
Lead (total)	6010	<1.0	<1.0	<1.0	1,000	5
Mercury	7471	<0.01	<0.01	<0.01	20	0.2
Molybdenum	6010	<0.5	<0.5	<0.5	3,500	350
Nickel	6010	12	8.3	13	2,000	20
Selenium	6010	<1.0	<1.0	<1.0	100	1
Silver	6010	<0.1	<0.1	<0.1	500	5
Thallium	6010	<5.0	<5.0	<5.0	700	7
Vanadium	6010	27	28	41	2,400	24
Zinc	6010	40	30	46	5,000	250
VOCs (1) (mg/kg)						
Ethylbenzene	8260	0.210	<0.0025	--		
Total Xylenes	8260	0.430	<0.0025	--		
n-Propylbenzene	8260	0.220	<0.0025	--		
1,3,5-Trimethylbenzene	8260	1.300	<0.0025	--		
1,2,4-Trimethylbenzene	8260	4.200	<0.0025	--		
n-Butylbenzene	8260	0.390	<0.0025	--		
Naphthalene	8260	16.000	<0.0025	--		
SVOCs (1) (mg/kg)						
Acenaphthene	8270	0.940	<0.800	--		
Anthracene	8270	1.200	<0.800	--		
Benzo (a) Anthracene	8270	1.900	27.000	--		
Benzo (b) Fluoranthene	8270	<1.000	46.000	--		
Benzo (k) Fluoranthene	8270	<1.000	9.400	--		
Benzo (g,h,i) Perylene	8270	<1.000	11.000	--		
Benzo (a) Pyrene	8270	2.200	16.000	--		
Chrysene	8270	3.600	29.000	--		
Dibenz (a,h) Anthracene	8270	<0.400	3.400	--		
Fluoranthene	8270	0.890	41.000	--		
Fluorene	8270	2.700	<0.800	--		
Indeno (1,2,3-cd)Pyrene	8270	<1.000	11.000	--		
2-Methylnaphthalene	8270	38.000	<0.800	--		
Naphthalene	8270	10.000	<0.800	--		
Phenanthrene	8270	12.000	<0.800	--		
Pyrene	8270	8.200	48.000	--		
Carbon Chain Range (mg/kg)	8015m	--	--	--		
PCBs (mg/kg)	8080	--	--	ND		

mg/kg = milligrams per kilogram

(1) VOCs and SVOCs not listed were not detected

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTL = Total Threshold Limit Concentration

STL = Soluble Threshold Limit Concentration

Analytical Data Summary
Remedial Excavation OA1-RE-2 Stockpile C

		Sample Number and Collection Date		
		OA1-RE2-SP3		
		7/16/97		
Analyte	EPA Method			Regulatory Levels
TRPH (mg/kg)	418.1	240		
				TTLC (mg/kg) STLC (mg/L)
Title 22 Metals (mg/kg)				
Antimony	6010	<5.0		500 15
Arsenic	6010	<1.0		500 5
Barium	6010	77		10,000 100
Beryllium	6010	<0.1		75 0.75
Cadmium	6010	<0.1		100 1
Chromium (VI)	7196	<0.5		500 5
Chromium (total)	6010	21		2,500 5
Cobalt	6010	6.1		8,000 80
Copper	6010	9.5		2,500 25
Lead (total)	6010	<1.0		1,000 5
Mercury	7471	<0.01		20 0.2
Molybdenum	6010	<0.5		3,500 350
Nickel	6010	7.5		2,000 20
Selenium	6010	<1.0		100 1
Silver	6010	<0.1		500 5
Thallium	6010	<5.0		700 7
Vanadium	6010	25		2,400 24
Zinc	6010	28		5,000 250
VOCs (1) (mg/kg)				
1,3,5-Trimethylbenzene	8260	0.026		
1,2,4-Trimethylbenzene	8260	0.054		
n-Butylbenzene	8260	0.0083		
Naphthalene	8260	0.260		
SVOCs (1) (mg/kg)				
Anthracene	8270	16.000		
Benzo (a) Anthracene	8270	62.000		
Benzo (b) Fluoranthene	8270	64.000		
Benzo (k) Fluoranthene	8270	25.000		
Benzo (a) Pyrene	8270	32.000		
Benzo (g,h,i) Perylene	8270	18.000		
Chrysene	8270	63.000		
Dibenz (a,h) Anthracene	8270	5.800		
Dibenzofuran	8270	4.100		
Fluoranthene	8270	180.000		
Fluorene	8270	12.000		
Indeno (1,2,3-cd)Pyrene	8270	15.000		
2-Methylnaphthalene	8270	5.000		
Phenanthrene	8270	120.000		
Pyrene	8270	170.000		
Carbon Chain Range (mg/kg)	8015m	--		
PCBs (mg/kg)	8080	--		

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTLC = Total Threshold Limit Concentration

STLC = Soluble Threshold Limit Concentration

(1) VOCs and SVOCs not listed were not detected

**Analytical Data Summary
Remedial Excavation OA1-RE-2 Stockpile D**

		Sample Number and Collection Date	
		OA1-RE2-SP4	
		7/17/97	
Analyte	EPA Method		
TRPH (mg/kg)	418.1	14,000	
			Regulatory Levels
			TTLC
			STLC
			(mg/kg) (mg/L)
Title 22 Metals (mg/kg)			
Antimony	6010	<5.0	500 15
Arsenic	6010	<1.0	500 5
Barium	6010	110	10,000 100
Beryllium	6010	<0.1	75 0.75
Cadmium	6010	1.8	100 1
Chromium (VI)	7196	<0.5	500 5
Chromium (total)	6010	27	2,500 5
Cobalt	6010	6.7	8,000 80
Copper	6010	17	2,500 25
Lead (total)	6010	30	1,000 5
Mercury	7471	<0.01	20 0.2
Molybdenum	6010	<0.5	3,500 350
Nickel	6010	22	2,000 20
Selenium	6010	<1.0	100 1
Silver	6010	<0.1	500 5
Thallium	6010	<5.0	700 7
Vanadium	6010	41	2,400 24
Zinc	6010	64	5,000 250
VOCs (1) (mg/kg)			
Total Xylenes	8260	0.170	
1,3,5-Trimethylbenzene	8260	0.210	
1,2,4-Trimethylbenzene	8260	0.490	
Naphthalene	8260	2.200	
SVOCs (1) (mg/kg)			
Acenaphthene	8270	6.200	
Anthracene	8270	17.000	
Benzo (a) Anthracene	8270	79.000	
Benzo (b) Fluoranthene	8270	110.000	
Benzo (k) Fluoranthene	8270	33.000	
Benzo (a) Pyrene	8270	57.000	
Benzo (g,h,i) Perylene	8270	44.000	
Chrysene	8270	190.000	
Dibenz (a,h) Anthracene	8270	12.000	
Fluoranthene	8270	140.000	
Fluorene	8270	17.000	
Indeno (1,2,3-cd)Pyrene	8270	30.000	
2-Methylnaphthalene	8270	180.000	
Naphthalene	8270	42.000	
Phenanthrene	8270	110.000	
Pyrene	8270	260.000	
Carbon Chain Range (mg/kg)			
Up to and including C12	8015m	870	
C13-C22	8015m	15,000	
C23 and higher	8015m	5,500	
PCBs (mg/kg)			
	8080	--	

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTLC = Total Threshold Limit Concentration

STLC = Soluble Threshold Limit Concentration

(1) VOCs and SVOCs not listed were not detected

Analytical Data Summary
Remedial Excavation OA1-RE-2 Stockpile F

		Sample Number and Collection Date	
		OA1-RE2-SP6 7/17/97	
Analyte	EPA Method		
TRPH (mg/kg)	418.1	2,300	
			Regulatory Levels
			TTLC
			STLC
			(mg/kg)
			(mg/L)
Title 22 Metals (mg/kg)			
Antimony	6010	<5.0	500
Arsenic	6010	<1.0	500
Barium	6010	90	10,000
Beryllium	6010	<0.1	75
Cadmium	6010	1.3	100
Chromium (VI)	7196	<0.5	500
Chromium (total)	6010	29	2,500
Cobalt	6010	7.2	8,000
Copper	6010	13	2,500
Lead (total)	6010	9.7	1,000
Mercury	7471	<0.01	20
Molybdenum	6010	<0.5	3,500
Nickel	6010	16	2,000
Selenium	6010	<1.0	100
Silver	6010	<0.1	500
Thallium	6010	<5.0	700
Vanadium	6010	42	2,400
Zinc	6010	40	5,000
VOCs (1) (mg/kg)			
Ethylbenzene	8260	0.390	
Total Xylenes	8260	1.500	
n-Propylbenzene	8260	0.220	
1,3,5-Trimethylbenzene	8260	2.000	
1,2,4-Trimethylbenzene	8260	6.200	
n-Butylbenzene	8260	0.340	
Naphthalene	8260	17.000	
SVOCs (1) (mg/kg)			
Anthracene	8270	270.000	
Benzo (a) Anthracene	8270	1,300.000	
Benzo (b) Fluoranthene	8270	1,900.000	
Benzo (k) Fluoranthene	8270	430.000	
Benzo (a) Pyrene	8270	760.000	
Benzo (g,h,i) Perylene	8270	470.000	
Chrysene	8270	1,500.000	
Dibenz (a,h) Anthracene	8270	160.000	
Fluoranthene	8270	4,000.000	
Fluorene	8270	110.000	
Indeno (1,2,3-cd)Pyrene	8270	470.000	
Phenanthrene	8270	1,800.000	
Pyrene	8270	3,600.000	
Carbon Chain Range (mg/kg)	8015m	--	
PCBs (mg/kg)	8080	--	

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTLC = Total Threshold Limit Concentration

STLC = Soluble Threshold Limit Concentration

(1) VOCs and SVOCs not listed were not detected

Analytical Data Summary
Remedial Excavation OA1-RE-2 Stockpile H

Analyte	EPA Method	Sample Number and Collection Date		Regulatory Levels
		OA1-RE2-SP8 7/17/97	RR-GS-37-4' 6/5/97	
TRPH (mg/kg)	418.1	4,600	<8.0	
TPHd (mg/kg)	8015M	--	<8.0	
TPHg (mg/kg)	8015M	--	<5.0	
Title 22 Metals (mg/kg)				TTLC (mg/kg)
				STLC (mg/L)
Antimony	6010	<5.0	<5.0	500
Arsenic	6010	<1.0	<1.0	500
Barium	6010	91	99	10,000
Beryllium	6010	<0.1	<0.1	75
Cadmium	6010	<0.1	<0.1	100
Chromium (VI)	7196	<0.5	<0.5	500
Chromium (total)	6010	49	25	2,500
Cobalt	6010	6.7	6.8	8,000
Copper	6010	12	9.5	2,500
Lead (total)	6010	27	<1.0	1,000
Mercury	7471	<0.01	<0.01	20
Molybdenum	6010	<0.5	<0.5	3,500
Nickel	6010	13	10	2,000
Selenium	6010	<1.0	<1.0	100
Silver	6010	<0.1	<0.1	500
Thallium	6010	<5.0	<5.0	700
Vanadium	6010	30	28	2,400
Zinc	6010	110	32	5,000
VOCs (1) (mg/kg)				
Total Xylenes	8260	0.150	<0.0025	
1,3,5-Trimethylbenzene	8260	0.330	<0.0025	
1,2,4-Trimethylbenzene	8260	0.970	<0.0025	
n-Butylbenzene	8260	0.120	<0.0025	
Naphthalene	8260	5.500	<0.0025	
SVOCs (1) (mg/kg)				
Acenaphthene	8270	1.100	<0.100	
Anthracene	8270	3.000	<0.100	
Benzo (a) Anthracene	8270	8.300	<0.100	
Benzo (b) Fluoranthene	8270	14.000	<0.250	
Benzo (k) Fluoranthene	8270	4.000	<0.250	
Benzo (a) Pyrene	8270	7.900	<0.250	
Benzo (q,h,i) Perylene	8270	6.000	<0.250	
Chrysene	8270	15.000	<0.100	
Dibenz (a,h) Anthracene	8270	1.300	<0.100	
Fluoranthene	8270	16.000	<0.100	
Fluorene	8270	3.400	<0.100	
Indeno (1,2,3-cd)Pyrene	8270	3.900	<0.250	
2-Methylnaphthalene	8270	40.000	<0.100	
Naphthalene	8270	9.800	<0.100	
Phenanthrene	8270	21.000	<0.100	
Pyrene	8270	34.000	<0.100	
Carbon Chain Range (mg/kg)	8015m	--	ND	
PCBs (mg/kg)	8080	--	ND	

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTLC = Total Threshold Limit Concentration

STLC = Soluble Threshold Limit Concentration

(1) VOCs and SVOCs not listed were not detected

TPHd = Total Petroleum Hydrocarbons as diesel

TPHg = Total Petroleum Hydrocarbons as gasoline

Analytical Data Summary
Remedial Excavation OA1-RE-2 Stockpile 1

Analyte	EPA Method	Sample Number and Collection Date		Regulatory Levels	
		OA1-RE2-SP9 7/18/97		TTLC (mg/kg)	STLC (mg/L)
TRPH (mg/kg)	418.1	1,300			
Title 22 Metals (mg/kg)					
Antimony	6010	<5.0		500	15
Arsenic	6010	<1.0		500	5
Barium	6010	100		10,000	100
Beryllium	6010	<0.1		75	0.75
Cadmium	6010	<0.1		100	1
Chromium (VI)	7196	<0.5		500	5
Chromium (total)	6010	37		2,500	5
Cobalt	6010	7.6		8,000	80
Copper	6010	16		2,500	25
Lead (total)	6010	34		1,000	5
Mercury	7471	<0.01		20	0.2
Molybdenum	6010	<0.5		3,500	350
Nickel	6010	14		2,000	20
Selenium	6010	<1.0		100	1
Silver	6010	<0.1		500	5
Thallium	6010	<5.0		700	7
Vanadium	6010	35		2,400	24
Zinc	6010	35		5,000	250
VOCs (1) (mg/kg)					
1,2,4-Trimethylbenzene	8260	0.0039			
Naphthalene	8260	0.023			
SVOCs (1) (mg/kg)					
Anthracene	8270	3.000			
Benzo (a) Anthracene	8270	20.000			
Benzo (b) Fluoranthene	8270	39.000			
Benzo (k) Fluoranthene	8270	11.000			
Benzo (a) Pyrene	8270	17.000			
Benzo (g,h,i) Perylene	8270	18.000			
Chrysene	8270	46.000			
Dibenz (a,h) Anthracene	8270	4.700			
Fluoranthene	8270	46.000			
Indeno (1,2,3-cd)Pyrene	8270	15.000			
Phenanthrene	8270	12.000			
Pyrene	8270	57.000			
Carbon Chain Range (mg/kg)	8015m	--			
PCBs (mg/kg)	8080	--			

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTLC = Total Threshold Limit Concentration

STLC = Soluble Threshold Limit Concentration

(1) VOCs and SVOCs not listed were not detected

**Analytical Data Summary
Remedial Excavation OA1-RE-2 Stockpile J**

		Sample Number and Collection Date	
		OA1-RE2-SP10	
		7/18/97	
Analyte	EPA Method		
TRPH (mg/kg)	418.1	420	Regulatory Levels
			TTLC
			(mg/kg)
			STLC
			(mg/L)
Title 22 Metals (mg/kg)			
Antimony	6010	<5.0	500 15
Arsenic	6010	<1.0	500 5
Barium	6010	100	10,000 100
Beryllium	6010	<0.1	75 0.75
Cadmium	6010	<0.1	100 1
Chromium (VI)	7196	<0.5	500 5
Chromium (total)	6010	25	2,500 5
Cobalt	6010	7.1	8,000 80
Copper	6010	11	2,500 25
Lead (total)	6010	<1.0	1,000 5
Mercury	7471	<0.01	20 0.2
Molybdenum	6010	<0.5	3,500 350
Nickel	6010	11	2,000 20
Selenium	6010	<1.0	100 1
Silver	6010	<0.1	500 5
Thallium	6010	<5.0	700 7
Vanadium	6010	32	2,400 24
Zinc	6010	40	5,000 250
VOCs (1) (mg/kg)			
Total Xylenes	8260	0.0052	
1,3,5-Trimethylbenzene	8260	0.0085	
1,2,4-Trimethylbenzene	8260	0.029	
Naphthalene	8260	0.110	
SVOCs (1) (mg/kg)			
Anthracene	8270	0.940	
Benzo (a) Anthracene	8270	5.500	
Benzo (b) Fluoranthene	8270	8.800	
Benzo (k) Fluoranthene	8270	2.000	
Benzo (a) Pyrene	8270	3.600	
Benzo (g,h,i) Perylene	8270	4.000	
Chrysene	8270	13.000	
Dibenz (a,h) Anthracene	8270	1.100	
Fluoranthene	8270	13.000	
Fluorene	8270	0.230	
Indeno (1,2,3-cd)Pyrene	8270	3.400	
2-Methylnaphthalene	8270	3.000	
Naphthalene	8270	0.770	
Phenanthrene	8270	3.900	
Pyrene	8270	12.000	
Carbon Chain Range (mg/kg)	8015m	--	
PCBs (mg/kg)	8080	--	

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTLC = Total Threshold Limit Concentration

STLC = Soluble Threshold Limit Concentration

(1) VOCs and SVOCs not listed were not detected

Analytical Data Summary
Remedial Excavation OA1-RE-3 Stockpile B

		Sample Number and Collection Date	
		OA1-RE3-SP2	
		7/18/97	
Analyte	EPA Method		
TRPH (mg/kg)	418.1	1,500	
			Regulatory Levels
			TTLC
			STLC
			(mg/kg)
			(mg/L)
Title 22 Metals (mg/kg)			
Antimony	6010	<5.0	
Arsenic	6010	<1.0	
Barium	6010	120	
Beryllium	6010	<0.1	
Cadmium	6010	<0.1	
Chromium (VI)	7196	<0.5	
Chromium (total)	6010	28	
Cobalt	6010	7.8	
Copper	6010	12	
Lead (total)	6010	<1.0	
Mercury	7471	<0.01	
Molybdenum	6010	<0.5	
Nickel	6010	12	
Selenium	6010	<1.0	
Silver	6010	<0.1	
Thallium	6010	<5.0	
Vanadium	6010	34	
Zinc	6010	40	
VOCs (1) (mg/kg)			
Ethylbenzene	8260	0.300	
n-Propylbenzene	8260	0.310	
1,3,5-Trimethylbenzene	8260	1.500	
1,2,4-Trimethylbenzene	8260	2.500	
n-Butylbenzene	8260	0.420	
Naphthalene	8260	20.000	
SVOCs (1) (mg/kg)			
Acenaphthene	8270	1.400	
Anthracene	8270	3.200	
Benzo (a) Anthracene	8270	6.300	
Benzo (b) Fluoranthene	8270	7.600	
Benzo (k) Fluoranthene	8270	1.700	
Benzo (a) Pyrene	8270	5.100	
Benzo (g,h,i) Perylene	8270	3.700	
Chrysene	8270	9.500	
Fluoranthene	8270	11.000	
Fluorene	8270	3.400	
Indeno (1,2,3-cd)Pyrene	8270	2.300	
2-Methylnaphthalene	8270	45.000	
Naphthalene	8270	14.000	
Phenanthrene	8270	20.000	
Pyrene	8270	18.000	
Carbon Chain Range (mg/kg)	8015m	--	
PCBs (mg/kg)	8080	--	

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTLC = Total Threshold Limit Concentration

STLC = Soluble Threshold Limit Concentration

(1) VOCs and SVOCs not listed were not detected

Analytical Data Summary
Remedial Excavation OA1-RE-3 Stockpile C

Analyte		Sample Number and Collection Date		Regulatory Levels	
		OA1-RE3-SP3 7/18/97			
EPA Method				TTL	STL
				(mg/kg)	(mg/L)
TRPH (mg/kg)		418.1	1,700		
Title 22 Metals (mg/kg)					
Antimony	6010	<5.0		500	15
Arsenic	6010	<1.0		500	5
Barium	6010	110		10,000	100
Beryllium	6010	<0.1		75	0.75
Cadmium	6010	<0.1		100	1
Chromium (VI)	7196	<0.5		500	5
Chromium (total)	6010	25		2,500	5
Cobalt	6010	7.3		8,000	80
Copper	6010	12		2,500	25
Lead (total)	6010	<1.0		1,000	5
Mercury	7471	<0.01		20	0.2
Molybdenum	6010	<0.5		3,500	350
Nickel	6010	11		2,000	20
Selenium	6010	<1.0		100	1
Silver	6010	<0.1		500	5
Thallium	6010	<5.0		700	7
Vanadium	6010	34		2,400	24
Zinc	6010	40		5,000	250
VOCs (1) (mg/kg)					
Ethylbenzene	8260	0.130			
1,3,5-Trimethylbenzene	8260	0.590			
1,2,4-Trimethylbenzene	8260	1.000			
n-Butylbenzene	8260	0.260			
Naphthalene	8260	14.000			
SVOCs (1) (mg/kg)					
Acenaphthene	8270	1.200			
Anthracene	8270	2.600			
Benzo (a) Anthracene	8270	4.000			
Benzo (b) Fluoranthene	8270	4.000			
Benzo (k) Fluoranthene	8270	1.400			
Benzo (a) Pyrene	8270	3.900			
Benzo (g,h,i) Perylene	8270	3.000			
Chrysene	8270	6.800			
Fluoranthene	8270	5.100			
Fluorene	8270	2.800			
Indeno (1,2,3-cd)Pyrene	8270	1.300			
2-Methylnaphthalene	8270	52.000			
Naphthalene	8270	14.000			
Phenanthrene	8270	16.000			
Pyrene	8270	20.000			
Carbon Chain Range (mg/kg)	8015m	--			
PCBs (mg/kg)	8080	ND			

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTL = Total Threshold Limit Concentration

STL = Soluble Threshold Limit Concentration

(1) VOCs and SVOCs not listed were not detected

Analytical Data Summary
Remedial Excavation OA1-RE-3 Stockpile E

		Sample Number and Collection Date	
		OA1-RE3-SP5	
		7/21/97	
Analyte	EPA Method		
TRPH (mg/kg)	418.1	47	Regulatory Levels
			TTLC (mg/kg)
			STLC (mg/L)
Title 22 Metals (mg/kg)			
Antimony	6010	<5.0	500
Arsenic	6010	<1.0	5
Barium	6010	110	10,000
Beryllium	6010	<0.1	75
Cadmium	6010	<0.1	1
Chromium (VI)	7196	<0.5	500
Chromium (total)	6010	43	2,500
Cobalt	6010	7.7	8,000
Copper	6010	14	25
Lead (total)	6010	5.0	1,000
Mercury	7471	<0.01	20
Molybdenum	6010	<0.5	3,500
Nickel	6010	11	20
Selenium	6010	<1.0	100
Silver	6010	<0.1	500
Thallium	6010	<5.0	700
Vanadium	6010	28	2,400
Zinc	6010	79	250
VOCs (mg/kg)	8260	ND	
SVOCs (1) (mg/kg)			
Anthracene	8270	0.660	
Benzo (a) Anthracene	8270	2.200	
Benzo (b) Fluoranthene	8270	2.700	
Benzo (k) Fluoranthene	8270	0.830	
Benzo (a) Pyrene	8270	1.300	
Benzo (g,h,i) Perylene	8270	0.780	
Chrysene	8270	3.200	
Dibenz (a,h) Anthracene	8270	0.220	
bis (2-Ethylhexyl)Phthalate	8270	0.110	
Fluoranthene	8270	8.400	
Fluorene	8270	0.330	
Indeno (1,2,3-cd)Pyrene	8270	0.630	
Phenanthrene	8270	4.300	
Pyrene	8270	7.500	
Carbon Chain Range (mg/kg)	8015m	--	
PCBs (mg/kg)	8080	--	

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTLC = Total Threshold Limit Concentration

STLC = Soluble Threshold Limit Concentration

(1) SVOCs not listed were not detected

Analytical Data Summary
Remedial Excavation OA1-RE-4 Stockpile A

Analyte	EPA Method	Sample Number and Collection Date		Regulatory Levels	
		OA1-RE4-SP1	PL-GS-3-3'		
		7/22/97	6/3/97		
TRPH (mg/kg)	418.1	1,300	18,000		
TPHd (mg/kg)	8015M	--	28,000		
TPHg (mg/kg)	8015M	--	47		
Title 22 Metals (mg/kg)				TTL	STL
				(mg/kg)	(mg/L)
Antimony	6010	<5.0	<5.0	500	15
Arsenic	6010	<1.0	<1.0	500	5
Barium	6010	110	100	10,000	100
Beryllium	6010	<0.1	<0.1	75	0.75
Cadmium	6010	<0.1	<0.1	100	1
Chromium (VI)	7196	<0.5	<0.5	500	5
Chromium (total)	6010	160 (2)(3)	120 (4)	2,500	5
Cobalt	6010	7.1	6.0	8,000	80
Copper	6010	36	28	2,500	25
Lead (total)	6010	41	<1.0	1,000	5
Mercury	7471	<0.01	<0.01	20	0.2
Molybdenum	6010	<0.5	<0.5	3,500	350
Nickel	6010	15	10	2,000	20
Selenium	6010	<1.0	<1.0	100	1
Silver	6010	<0.1	<0.1	500	5
Thallium	6010	<5.0	<5.0	700	7
Vanadium	6010	33	24	2,400	24
Zinc	6010	280	60	5,000	250
VOCs (1) (mg/kg)					
Total Xylenes	8260	0.054	<0.100		
1,3,5-Trimethylbenzene	8260	0.053	0.240		
1,2,4-Trimethylbenzene	8260	0.170	0.640		
sec-Butylbenzene	8260	0.028	0.200		
p-Isopropyltoluene	8260		0.190		
n-Butylbenzene	8260	0.039	<0.100		
Naphthalene	8260	0.430	3.800		
SVOCs (1) (mg/kg)					
Benzo (a) Anthracene	8270	0.130	1.600		
Chrysene	8270	0.200	2.600		
bis (2-Ethylhexyl)Phthalate	8270	1.400	<1.000		
Butylbenzylphthalate	8270	0.190	<1.000		
Fluoranthene	8270	0.190	<1.000		
Fluorene	8270	0.280	3.700		
2-Methylnaphthalene	8270	1.900	8.900		
Naphthalene	8270	0.390	1.000		
Phenanthrene	8270	0.990	11.000		
Pyrene	8270	0.400	5.600		
Carbon Chain Range (mg/kg)					
Up to and including C12	8015m	--	2,000		
C13-C22	8015m	--	23,000		
C23 and higher	8015m	--	3,100		
PCBs (1) (mg/kg)					
PCB-1260	8080	0.035	ND		

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTL = Total Threshold Limit Concentration

STL = Soluble Threshold Limit Concentration

(1) VOCs, SVOCs, and PCBs not listed were not detected

(2) Waste Extraction Test performed on this sample. Result was 2.2 mg/L.

(3) TCLP analysis performed on this sample. Result was <0.1 mg/L.

(4) Waste Extraction Test performed on this sample. Result was 2.8 mg/L.

Analytical Data Summary
Remedial Excavation OA1-RE-6 Stockpile J

Analyte	EPA Method	Sample Number and Collection Date		Regulatory Levels	
		OA1-RE6-SP3 7/29/97	PL-GS-9-3.5' 7/2/97		
TRPH (mg/kg)	418.1	4,700	16,000		
TPHd (mg/kg)	8015M	--	15,000		
TPHg (mg/kg)	8015M	--	250		
Title 22 Metals (mg/kg)					
Antimony	6010	<5.0	<5.0	500	15
Arsenic	6010	<1.0	<1.0	500	5
Barium	6010	98	110	10,000	100
Beryllium	6010	<0.1	<0.1	7.5	0.75
Cadmium	6010	<0.1	<0.1	100	1
Chromium (VI)	7196	<0.5	<0.5	500	5
Chromium (total)	6010	38	32	2,500	5
Cobalt	6010	7.2	7.0	8,000	80
Copper	6010	24	20	2,500	25
Lead (total)	6010	<1.0	<1.0	1,000	5
Mercury	7471	<0.01	<0.01	20	0.2
Molybdenum	6010	<0.5	<0.5	3,500	350
Nickel	6010	12	14	2,000	20
Selenium	6010	<1.0	<1.0	100	1
Silver	6010	<0.1	<0.1	500	5
Thallium	6010	<5.0	<5.0	700	7
Vanadium	6010	31	37	2,400	24
Zinc	6010	110	81	5,000	250
VOCs (1) (mg/kg)					
Ethylbenzene	8260	0.180	<0.100		
Trichloroethene	8260	0.085	<0.100		
Total Xylenes	8260	0.420	<0.100		
Isopropylbenzene	8260	0.230	0.100		
n-Propylbenzene	8260	0.370	<0.100		
1,3,5-Trimethylbenzene	8260	0.470	0.370		
1,2,4-Trimethylbenzene	8260	2.500	0.210		
sec-Butylbenzene	8260	0.350	0.410		
p-Isopropyltoluene	8260	0.470	0.570		
n-Butylbenzene	8260	0.460	0.280		
Naphthalene	8260	2.600	1.100		
SVOCs (1) (mg/kg)					
Acenaphthene	8270	<0.400	1.000		
Anthracene	8270	0.800	<0.800		
Benzo (a) Anthracene	8270	<0.400	1.000		
Chrysene	8270	<0.400	1.600		
Fluoranthene	8270	0.570	1.300		
Fluorene	8270	2.100	1.300		
2-Methylnaphthalene	8270	10.000	7.200		
Naphthalene	8270	3.700	1.500		
Phenanthrene	8270	5.300	6.000		
Pyrene	8270	0.620	1.900		
Carbon Chain Range (mg/kg)					
Up to and including C12	8015m	--	1,200		
C13-C22	8015m	--	12,000		
C23 and higher	8015m	--	3,100		
PCBs (mg/kg)	8080	--	ND		

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTLc = Total Threshold Limit Concentration

STLC = Soluble Threshold Limit Concentration

(1) VOCs and SVOCs not listed were not detected

TPHd = Total Petroleum Hydrocarbons as diesel

TPHg = Total Petroleum Hydrocarbons as gasoline

Analytical Data Summary
Remedial Excavation OA1-RE-8 Stockpile I

Analyte	EPA Method	Sample Number and Collection Date		Regulatory Levels	
		OA1-RE8-SP5 8/4/97	OA1-GS-12-5' 7/22/97		
TRPH (mg/kg)	418.1	400	9,800	TTLC (mg/kg)	STLC (mg/L)
Title 22 Metals (mg/kg)					
Antimony	6010	<5.0	<5.0	500	15
Arsenic	6010	<1.0	<1.0	500	5
Barium	6010	100	120	10,000	100
Beryllium	6010	<0.1	<0.1	75	0.75
Cadmium	6010	<0.1	<0.1	100	1
Chromium (VI)	7196	<0.5	<0.5	500	5
Chromium (total)	6010	24	29	2,500	5
Cobalt	6010	7.2	9.0	8,000	80
Copper	6010	9.0	12	2,500	25
Lead (total)	6010	<1.0	<1.0	1,000	5
Mercury	7471	<0.01	<0.01	20	0.2
Molybdenum	6010	<0.5	<0.5	3,500	350
Nickel	6010	9.9	14	2,000	20
Selenium	6010	<1.0	<1.0	100	1
Silver	6010	<0.1	<0.1	500	5
Thallium	6010	<5.0	<5.0	700	7
Vanadium	6010	26	37	2,400	24
Zinc	6010	46	40	5,000	250
VOCs (1) (mg/kg)					
Ethylbenzene	8260	<0.050	2.500		
n-Propylbenzene	8260	<0.050	1.700		
1,3,5-Trimethylbenzene	8260	<0.050	11.000		
1,2,4-Trimethylbenzene	8260	<0.050	36.000		
p-Isopropyltoluene	8260	0.069	<1.000		
n-Butylbenzene	8260	<0.050	2.600		
Naphthalene	8260	0.500	120.000		
SVOCs (1) (mg/kg)					
Acenaphthene	8270	0.240	<1.000		
Anthracene	8270	0.270	4.900		
Benzo (a) Anthracene	8270	0.670	6.600		
Benzo (g,h,i) Perylene	8270	<0.500	3.900		
Benzo (a) Pyrene	8270	0.730	5.800		
Chrysene	8270	1.100	10.000		
Fluoranthene	8270	0.670	8.700		
Fluorene	8270	0.600	7.500		
2-Methylnaphthalene	8270	8.000	130.000		
Naphthalene	8270	1.900	37.000		
Phenanthrene	8270	2.700	40.000		
Pyrene	8270	2.200	28.000		
Carbon Chain Range (mg/kg)	8015m	--	--		
PCBs (mg/kg)	8080	--	--		

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTLC = Total Threshold Limit Concentration

STLC = Soluble Threshold Limit Concentration

(1) VOCs and SVOCs not listed were not detected

Analytical Data Summary
Remedial Excavation OA1-RE-9 Stockpile A

Analyte	EPA Method	Sample Number and Collection Date		Regulatory Levels	
		OA1-RE9-SP1 8/5/97	OA1-GS-13-9' 7/22/97		
TRPH (mg/kg)	418.1	290	5,400		
Title 22 Metals (mg/kg)					
Antimony	6010	<5.0	<5.0	500	15
Arsenic	6010	<1.0	<1.0	500	5
Barium	6010	93	100	10,000	100
Beryllium	6010	<0.1	<0.1	75	0.75
Cadmium	6010	<0.1	<0.1	100	1
Chromium (VI)	7196	<0.5	<0.5	500	5
Chromium (total)	6010	23	28	2,500	5
Cobalt	6010	6.9	7.2	8,000	80
Copper	6010	8.5	9.9	2,500	25
Lead (total)	6010	<1.0	<1.0	1,000	5
Mercury	7471	<0.01	<0.01	20	0.2
Molybdenum	6010	<0.5	<0.5	3,500	350
Nickel	6010	9.8	13	2,000	20
Selenium	6010	<1.0	<1.0	100	1
Silver	6010	<0.1	<0.1	500	5
Thallium	6010	<5.0	<5.0	700	7
Vanadium	6010	24	36	2,400	24
Zinc	6010	42	44	5,000	250
VOCs (1) (mg/kg)					
Ethylbenzene	8260	<0.050	1.700		
Total Xylenes	8260	0.150	4.800		
n-Propylbenzene	8260	<0.050	1.500		
1,3,5-Trimethylbenzene	8260	0.330	5.900		
1,2,4-Trimethylbenzene	8260	0.970	22.000		
n-Butylbenzene	8260	0.064	2.600		
Naphthalene	8260	2.700	97.000		
SVOCs (1) (mg/kg)					
Acenaphthene	8270	0.600	<2.000		
Anthracene	8270	1.100	6.200		
Benzo (a) Anthracene	8270	4.500	9.200		
Benzo (b) Fluoranthene	8270	5.100	<5.000		
Benzo (k) Fluoranthene	8270	3.100	<5.000		
Benzo (g,h,i) Perylene	8270	3.800	<5.000		
Benzo (a) Pyrene	8270	6.000	7.800		
Chrysene	8270	5.800	14.000		
Fluoranthene	8270	6.600	11.000		
Fluorene	8270	1.800	8.400		
Indeno (1,2,3-cd)Pyrene	8270	3.200	<5.000		
2-Methylnaphthalene	8270	17.000	160.000		
Naphthalene	8270	3.900	46.000		
Phenanthrene	8270	8.900	50.000		
Pyrene	8270	10.000	44.000		
Carbon Chain Range (mg/kg)	8015m	--	--		
PCBs (mg/kg)	8080	--	--		

mg/kg = milligrams per kilogram

mg/L = milligrams per liter

-- = not analyzed

ND = not detected

VOCs = Volatile Organic Compounds

SVOCs = Semi-volatile Organic Compounds

TRPH = Total Recoverable Petroleum Hydrocarbons

PCBs = Polychlorinated biphenyls

TTLIC = Total Threshold Limit Concentration

STLC = Soluble Threshold Limit Concentration

(1) VOCs and SVOCs not listed were not detected